



RETAIL UK

4FRONT 2 WITH TB3 SEATING

DEALERS DETAIL	S	DELIVERY DETAILS	
Dealers Name		Dealers Address	
Order Date			
Address			
	Postcode	Postcode	
Phone	Email	Quantum Specialist	
PO No	Order Ref	© Clients Weight (required for suspension settings)	

BASE MODEL

14 Colour Options
Height Adjustable Removable Armrests
Centre Mount Foot Platform
TB3 Seating
14" Flat Free Drive Tyres
2" x 9" Flat Free Rear Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



£8,495

SRS Suspension System
Smart Traction Control
Q-Logic 3e Control System
2 x 70 ah Batteries
6 Mph (9.65 Km/h) 4-Pole Motors
Max User Weight: 21 st 6lbs. (136 kg)

DRIVE WHEELS

3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	Standard
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5</i> ".	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5"</i> .	£320

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Blue Jean	FOC
Deep Purple	FOC
Red Corvette	FOC
Pretty in Pink	FOC

Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
Raspberry Beret*	FOC
Custom Hydro Dip*	£600

^{*} Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.









SEAT PACKAGES - SEAT WIDTH

12"-16"W. Not available with Power Lift.
14"-16"W. Only available with Power Lift.
16"-20"W
20"-22"W
Set width at:

SEAT PACKAGES - SEAT DEPTH

12"-16"D. Not available with Power Lift.	
14"-16"D. Only available with Power Lift.	
16"-20"D	
20"-22"D	
Set depth at:	

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	andard
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	£75
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	£100
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£115
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£115
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£135
Premiere P: Positioning, 4-way stretch, Coolcore cover. 158.7 Kg weight limit.	£135
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£190
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£190

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

Static Seat.				
TRU-Balance 3 Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.				
Powered Seat Lift & Tilt. 10" lift & 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options.			£2170	
Static Seat to Floor Height. From seat pan. 15" 16"				
Powered Tilt Seat to Floor Height. From seat pan. 17.75" 18.75"			19.75″	
Powered iLevel Lift & Tilt Seat to Floor Height. From seat pan.	17.75″	18.75"	19.75″	

BACKREST SPECIFICATIONS

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.	FOC
move affectly to back carle only support options if selected.	

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

TB3 BACK SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions	Standard
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.	£50
Stealth Adapter Interface Plate. SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2	£341
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.	POA
Enter ADI Q-Back 2 part number here for quotation.	

TB3 BACK SUPPORT POSTIONING

TRU-Balance 3 Static Back. Angle can be preset manually.	
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports, powered recline, or 12"-14"W seats.	£150
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£600

BACK CANE ONLY SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions.				mensions. FOC	
Privacy Flap	. 12.75"W. Closes gap	between back support and	l seat pan.		£50
ADI Back Support. Skin protection, 4 way stretch, Coolcore cover. Mounts to canes with cane clamps.				Standard	
Enter ADI Ba	ick Support part n	umber here for quotati	on		
Back -	Tool Angle Ad	djustable. 85° to 120° in 5	° increments.		Standard
Cane Only	Flip-forward Back Canes. Not suitable for occupied transport or with Endo mounts.				£200
Support Positioning.	2" Endo Cane Mounts. 1" each side. Reduces back width by 2".				£40
r osicioning.	4" Endo Cane Mounts. 2" each side. Reduces back width by 4".				£40
Back Cane Height. From seat pan.	16″H	17 <i>"</i> H	18 <i>"</i> H	19 <i>"</i> H	20 "H
	21 <i>"</i> H	22 <i>"</i> H	23 ″H	24 <i>"</i> H	25 "H

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if an ADI back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Support Width Package		12"-14"W	14"-16"W	16"-20"W	
		18"-22"W	20"-24"W		
Back	12″W.	14″W.	16″W	17"W	
Support	18"W 19"W		20″W	21″W	
Width.	22″W	24″W			
	14"H. <i>12"W back only</i> .	15"H. <i>12"W back only</i> .	16″H.	17"H.	
Back Support	18″H.	19"H.	20″H.	21″H.	
Support Height. <i>From seat</i>	22″H.	23″H.	24"H.	25"H. Not available with 24"W back.	
pan.	26"H. Not available with 24"W back.	27"H. Not available with 24"W back.	28"H. Not available with 24"W back.	29"H. Not available with 24"W back.	

19" minimum backrest height when powered recline is selected.

ARM SUPPORTS

2-Post Flip-up Removab	le. Adjustment range 9" to 13" fror	n seat pan.	:	Standard
Paediatric Single Post H	eight Adjustable. <i>Adjustment ra</i>	nge 7.75"- 9.75" fro	m seat pan. 10″ pads only.	FOC
Single Post Drop-in Ren	novable. <i>Adjustment range 11"-17</i>	" from seat pan.		FOC
TB3 Flip-back. Adjustmen	t range 8″-16″ from seat pan. Includ	des lateral in/out a	djustment.	£350
Down Posts for TB3 Flip	-back. Only with TB3 Flip-back arn	n supports.		£100
	10" Standard	Standard	10" Waterfall. Not with Std flip-up or TB Flex.	FOC
	14" Standard	FOC	14" Waterfall. Not with Std flip-up or TB Flex.	FOC
Arm Support Pads.	17" Standard. TB3 only. Minimum seat depth 16".	£50	Falcon Gel Mounting Plates. Required for 2-post, Single Post & Paediatric arm supports	£40
	10" Falcon Gel	£40		
•	14" Falcon Gel	£40		

Maridally Adjustable Ceri	tre Mount Foot Platfor	m.				Standard
Paediatric Adj. Centre Mo	ount Foot Platform. 12"-	14" seat width.	s only.			FOC
Power Elevating Articulat	ing Centre Mount Foot	t Platform. M	inimum seat width 1	14". Uses 1 power	option.	£700
Power Elevating Articulat Only with Q-Logic 3. Lowers to				inimum seat wid	th 14".	£1112
ower Leg Extensions. From seat pan.	8"-12". Paediatric centre mount only.	FOC	10″-16″.	Standard	13″-19″.	FOC
- -ootplates. —	10″W x 6″D Split Fo	otplates. <i>Pae</i>	ediatric centre moun	t only.	•••••••	FOC
—	10"W x 8"D Split Fo	otplates.	FOC	10"W x 11"D	Split Footplates.	Standard
Talf Cumpart	Individual Calf Pads	5. 6″W x 6″H.	Standard /	Calf Panel. 18	″W x 8″H.	£42
Calf Support. —	Reverse Dartex Cal	f Pad Covers.	. £42 (Reverse Dart	ex Calf Panel Cover.	£62
••••••••••••	4" Width Extension	Kit. Not avail	able with 2″ length k	rit or 10"W x 6"D f	ootplates.	£16
	2" Length Extension					£16
Accessories.	Footplate Connecto	or.	£10	Outer Edge S	Supports.	£10
	Wheel Bumpers.				may result in reduced gro	
Manual Elevating Swing-	Away Legrests. Flip-up fo	ootplates. Adj.	range 15" to 20". Min	. seat width 15″.		£130
Manual Elevating Swing-a Power Elevating Swing-a DIVIDUALLY MOUN	way Legrests. Flip-up f/p	lates. Adj. rang	e 14.5" to 19.5". Min.	seat width 16". U	ses 2 power options.	£130 £650
Power Elevating Swing-a	way Legrests. Flip-up f/p	lates. Adj. rang	e 14.5" to 19.5". Min.	seat width 16". U	ses 2 power options.	
Power Elevating Swing-a	way Legrests. Flip-up f/p	lates. Adj. rang	e 14.5" to 19.5". Min.	seat width 16". U	ses 2 power options. 15.5"-19.5"	£650
Power Elevating Swing-and DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions.	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests.	RABLE LE	G SUPPORT	seat width 16". U S Standard £115		£650
Power Elevating Swing-and DIVIDUALLY MOUNT 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan.	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests. 11"-13" Flip-up Extruded.	RABLE LE Select lowers FOC	ie 14.5" to 19.5". Min. G SUPPORT and footplates below 13.5"-16.5" Angle & Depth	seat width 16". U S Standard £115	15.5"-19.5" Multi-axis. <i>Select</i>	£650 £110 FOC £263
Power Elevating Swing-at DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan. Footplate Type.	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests. 11"-13" Flip-up Extruded. 8.5"W x 6"D.	RABLE LE Select lowers FOC STD	EG SUPPORT and footplates below 13.5"-16.5" Angle & Depth Adjustable. Sel	seat width 16". U S Standard £115 ect size below.	15.5"-19.5" Multi-axis. Select size below.	£650 £110 FOC
Power Elevating Swing-at DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests. 11"-13" Flip-up Extruded. 8.5"W x 6"D. 4"W x 6"D	RABLE LE Select lowers FOC STD FOC	e 14.5" to 19.5", Min. G SUPPORT and footplates below 13.5"-16.5" Angle & Depth Adjustable. Sel 5"W x 6"D 6"W x 11"D	seat width 16". U Standard £115 ect size below. FOC FOC	15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£650 £110 FOC £263
Power Elevating Swing-at DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories.	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests. 11"-13" Flip-up Extruded. 8.5"W x 6"D. 4"W x 6"D 6"W x 8"D Wheel Bumpers	RABLE LE Select lowers FOC STD FOC STD	e 14.5" to 19.5", Min. G SUPPORT and footplates belov 13.5"-16.5" Angle & Depth Adjustable. Sel 5"W x 6"D 6"W x 11"D	seat width 16". U Standard £115 ect size below. FOC FOC	15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £10
Power Elevating Swing-and DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only.	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests. 11"-13" Flip-up Extruded. 8.5"W x 6"D. 4"W x 6"D 6"W x 8"D Wheel Bumpers	RABLE LE Select lowers FOC STD FOC STD	e 14.5" to 19.5", Min. G SUPPORT and footplates belov 13.5"-16.5" Angle & Depth Adjustable. Sel 5"W x 6"D 6"W x 11"D	seat width 16". U Standard £115 ect size below. FOC FOC	15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £10
Power Elevating Swing-at DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articulate Lower Leg Extensions.	way Legrests. Flip-up f/p. NTED CONFIGUF e Swing-away Legrests. 11"-13" Flip-up Extruded. 8.5"W x 6"D. 4"W x 6"D 6"W x 8"D Wheel Bumpers ting Swing-Away Legre	RABLE LE Select lowers of FOC STD FOC STD sts. Adjustment	EG SUPPORT and footplates below 13.5"-16.5" Angle & Depth Adjustable. Sel 5"W x 6"D 6"W x 11"D ant range 15" to 20". U 14.5"-18"	seat width 16". U Standard £115 ect size below. FOC FOC	15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC
Power Elevating Swing-and DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articulat Lower Leg Extensions. From seat pan. Footplate Type.	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests. 11"-13" Flip-up Extruded. 8.5"W x 6"D. 4"W x 6"D 6"W x 8"D Wheel Bumpers ting Swing-Away Legre 11"-13" Angle & Depth Ad	FOC STD Sts. Adjustment FOC justable. Select	EG SUPPORT and footplates below 13.5"-16.5" Angle & Depth Adjustable. Sel 5"W x 6"D 6"W x 11"D ant range 15" to 20". U 14.5"-18"	seat width 16". U Standard £115 ect size below. FOC FOC Standard	15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £10 £1300 FOC Standard
Power Elevating Swing-at DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articulat Lower Leg Extensions. From seat pan.	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests. 11"-13" Flip-up Extruded. 8.5"W x 6"D. 4"W x 6"D. Wheel Bumpers ting Swing-Away Legre 11"-13" Angle & Depth Ad. 4"W x 6"D	RABLE LE Select lowers of FOC STD FOC STD sts. Adjustment	EG SUPPORT and footplates below 13.5"-16.5" Angle & Depth Adjustable. Sel 5"W x 6"D 6"W x 11"D ant range 15" to 20". U 14.5"-18"	seat width 16". U Standard £115 ect size below. FOC FOC	15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £10 £1300 FOC
Power Elevating Swing-and DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articulat Lower Leg Extensions. From seat pan. Footplate Type. Footplate Type.	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests. 11"-13" Flip-up Extruded. 8.5"W x 6"D. 4"W x 6"D 6"W x 8"D Wheel Bumpers ting Swing-Away Legre 11"-13" Angle & Depth Ad 4"W x 6"D 6"W x 8"D S1	FOC STD FOC STD FOC STD FOC STD Sts. Adjustment FOC justable. Select	and footplates below 13.5"-16.5" Angle & Depth Adjustable. Sel. 5"W x 6"D 6"W x 11"D 14.5"-18" ect size below. 5"W x 6"D 6"W x 11"D	seat width 16". U Standard 1 £115 ect size below. FOC FOC Standard FOC FOC FOC FOC	15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £1300 FOC Standard FOC
Power Elevating Swing-and DIVIDUALLY MOUN 60° to 90° Tool Adjustable Lower Leg Extensions. From seat pan. Footplate Type. Footplate Size. Angle adj. & Multi-axis only. Accessories. Power Elevating Articulat Lower Leg Extensions. From seat pan. Footplate Type.	way Legrests. Flip-up f/p. NTED CONFIGUE Swing-away Legrests. 11"-13" Flip-up Extruded. 8.5"W x 6"D. 4"W x 6"D. Wheel Bumpers ting Swing-Away Legre 11"-13" Angle & Depth Ad 4"W x 6"D	FOC STD FOC STD FOC STD FOC STD Sts. Adjustment FOC justable. Select	EG SUPPORT and footplates belov 13.5"-16.5" Angle & Depth Adjustable. Sel 5"W x 6"D 6"W x 11"D ant range 15" to 20". U 14.5"-18" ect size below. 5"W x 6"D	seat width 16". U Standard £115 ect size below. FOC FOC Standard FOC Standard FOC FOC Wheel Bur	15.5"-19.5" Multi-axis. Select size below. 5"W x 8"D 8"W x 11"D	£110 FOC £263 FOC £1300 FOC Standard

£300

LEFT

 ${\it Stealth Residual Limb Support (each)}. {\it Includes}$

 $a\,60\text{-}90°\,\text{Swing-away legrest hanger for mounting}.$

RIGHT

£300

Limb Support

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. HMO475-17M / CP08CCFPM.	£219
UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	£219
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	£219
UniLink 14" Adjustable Comfort Plus. HMO475-17M/ ACP150M.	£327
Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.	£88

 $Please\ visit\ steal th products. com\ for\ alternative\ head\ supports.$

STEALTH TRUNK SOLUTIONS

UniLink Thoracic _	Lateral Thoracic Swin	g-away Hardware	e. £425	Additional 1.5" Link (each).	£52
Lateral Supports.	3" H x 5" L Curved La	teral Pad.	£72	Additional 2" Link (each).	£52
Supplied as a pair.	4" H x 6" L Curved La	teral Pad.	£72	Additional 3″Link (each).	 E52
	Extra Small £137 $ angle$	Classic	STD* /	Dynamic STD* $ angle$ Vinyl Face FC	OC
	Small £137	Contoured	FOC	Structured FOC Zipper Face** FC	OC
4-Point Harness.	Medium £137			*STD = Standard opti	tion
_	Large £137			**Classic O	Only
_	Extra Large £137				
	Extra Small £87	Small	£87	Side Release Standa	ard
Chest Strap.	Medium £87	Large	£87	Velcro Release £	<u> </u>
_	Extra Large £87		<i>\</i>	}	

STEALTH PELVIC & THIGH SOLUTIONS

		£176	UniLi	nk Hip Guid	de Long Removable.	£176	
UniLink Thigh	LEFT	£176 Unilink Hip Guide Short Removable.				£176	
Supports.		£48 4x4 Pelvic Thigh Pad.			£48	RIGHT	
		£48		4x8 Pelvi	ic Thigh Pad.	£48	
		£48		4x12 Pelv	ric Thigh Pad.	£48	
Knee Adductors.	•••••	£156	•	Fixed Ca	ne Mounted.	£156	
	LEFT	£170	S	wing-away	Track Mounted.	£170	RIGHT
	LEFI	£36		3" Roun	d Knee Pad.	£36	KIGHT
		£36		4" Roun	d Knee Pad.	£36	
D-1::- D-14-	Auto Buc	kle Lap Belt, Pı	ush Buttor	n Release.	•	• • • • • • • • • • • • • • • • • • • •	Standard
Pelvic Belts.	Retractab	ole Lap Belt, Pu	ısh Button	Release.			£156
	Extra Sma	all £7	8 /	Single Pull	Standard $ angle$	Push Button	Standard
Positioning	Small	£7	8 \	Rear Pull	FOC		
2-Point Padded	Medium	£7	8 \	Dual Pull	FOC		
Pelvic Belt.	Large	£7	8 \				
	Extra Larg	ge £7	8				
Stealth Positioning	Extra Sma	all £120	Small	£120)	Push Button	• • • • • • • • • • • • • • • • • • • •	Standard
4-Point Linear Padded Pelvic Belt,	Medium	£120	Large	£120	Side Release		£20
Single Pull.							
	Fixed Flip	-down Hardw	are. MTHW-	560. £180	Small Wedge. <i>M</i>	ITMD-12.	£103
Medial Supports (Pommels).	Medium \	Wedge. MTMD-	13.	£103	Large Wedge. M	1TMD-14.	£103
(. ce.s).	Adjustab	le Wedge. MTN	1D-42.	£199	Please visit ste	ealthproducts.com for a	alternative lateral, tremity solutions
		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	••••	pervie a lower ex	a.c.mey solutions

EXPANDABLE CONTROLS

Q-Logic 3e Controls. No power options.	Standard
Q-Logic 3e Controls. 2 power option ready.	£300
Q-Logic 3e Controls. 5 power option ready.	£500
Q-Logic 3 EX Controls. No power options.	£275
Q-Logic 3 EX Controls. 2 power option ready.	£350
Q-Logic 3 EX Controls. 5 power option ready.	£550
Q-Logic 3 Enhanced Display. Includes 2 egg switches & flexible display mount.	£1074
SCIM Module Kit. Allows Q-Logic 3 EX joystick display to be used for speciality controls. Not available v	vith 3e controls. £316
iAccess OLED 4 Button Switch Module. Mounted to opposite armrest unless specified. £300 Push Button iAccess Toggle Lever iAccess	If iAccess is selected choose either Push Button or Toggle leaver option.

Mounted to oppo	site armrest unless specified. Toggle Leve	r iAccess Push Button or T	oggle leaver option.
	Hand Control. Select position in Hand Control Mounts below.		Standard
Control	Omit Hand Control. Often selected when ED is used as master rem	ote with special device.	-£50
Method.	Attendant Control. Hand control mounted at rear.		£100

Dual Controls. Hand control and secondary attendant control at rear. $Please\ visit\ steal th products. com\ for\ alternative\ control\ options\ such\ as\ mini\ joysticks,\ head\ arrays\ \&\ switches.$

HAND CONTROL MOUNTS

Fixed.					Star	ndard
Swing-away. Swings in 8	& out with height, tension	and pivot adjustm	nent.			£75
Retract 4 Swing-away.	Full 180° Movement.					£150
Mounting Position.	Left	FOC	Right	Standard		
	Standard Carrot	Standard	T-Bar	£35	Extended I-Handle	£35
Hand Control Joystick Handle.	Mushroom	£35	Medium Ball	£35	3" Goal Post	£50
_	Chin Cup	£35	Soft Ball	£35	4" Goal Post	£50

SPEED PROGRAM & LIGHTS PACKAGE

6 Mph Program with Lights and indicators.	Standard
4 Mph Program. Lights and indicators not included.	FOC
4 Mph Program with Lights and indicators.	FOC
Lights & Indicator Surcharge. Required if no power options have been selected.	£260
LED Fender Lights. Includes single switch button mounted to side rail. Not road legal.	Standard
Omit LED Fender Lights.	FOC

ACCESSORIES

£
i
i
:
£

£430

ACCESSORIES CONTINUED

Glove Box.	:
Hydration System.	£
Oxygen Holder.	
Quick Release Transfer Bars.	£
Stealth Tablet Holder.	£
Push Handles. Not with back cane option.	
Accessory Bar.	
Back-up Camera.	£
Quantum Back Pack.	1
Additional XLR USB Charger Port.	
Magnetic to XLR Charger Adapter. Only with Q-Logic 3e.	
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.	£
Wooden Trim Kit for Tray. Only with swing-away tray table.	£

NOTES & SPECIAL REQUESTS

PRICE

4FRONT 2 WITH TB3 SEATING



BASE PRICE

£8,495

COST OPTIONS

TOTAL



Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk RETAIL UK - 06/10/23 V1















7