



RETAIL UK

EDGE 3 STRETTO WITH TB3 SEATING

DEALERS DETAILS		DELIVERY DETAILS		
Dealers Name		Dealers Address		
Order Date				
Address				
	Postcode	Postcode		
Phone	Email	Quantum Specialist		
PO No	Order Ref	Clients Weight (required for suspension settings)		

BASE MODEL

14 Colour Options
Height Adjustable Removable Armrests
Centre Mount Foot Platform
TB3 Seating
12.5" Flat Free Drive Tyres
2" x 5" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



£6,050

2"x 6" Flat Free Rear Castors SRS Suspension System NE+ Control System 2 x 62 ah Batteries 4 Mph (6 Km/h) Motors Max User Weight: 21 st 6lbs. (136 kg)

DRIVE WHEELS

3" x 12.5" Flat Free Black Tyres.	Standard
3" x 12.5" Pneumatic Black Tyres.	FOC
3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	£50
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	£50
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5"</i> .	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5"</i> .	£320

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Blue Jean	FOC
Deep Purple	FOC
Red Corvette	FOC
Pretty in Pink	FOC

Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
Raspberry Beret*	FOC
Custom Hydro Dip*	£600

^{*} Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.









SEAT PACKAGES - SEAT WIDTH SEAT PACKAGES - SEAT DEPTH 12"-16"W 12"-16"D 14"-16"W 14"-16"D 16"-20"W 16"-20"D Set width at: Set depth at:

Minimum seat size of 14"W x 14"D required for manually adjustable and powered centre mount foot platform when iLevel is selected.

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	Standard
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	£75
RU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	£100
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£115
olution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£115
ssence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£135
remiere P: Positioning, 4-way stretch, Coolcore cover. 158.7 Kg weight limit.	£135
pectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limb	t. £190
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£190

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

Static Seat.			
TRU-Balance 3 Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.			
iLevel Powered Seat Lift & Tilt. 12" lift & 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options.			
Static Seat to Floor Height. <i>From seat pan</i> .	16″	17″	18"
Powered Tilt Seat to Floor Height. From seat pan.	17.5″	18.5″	19.5″
Powered iLevel Lift & Tilt Seat to Floor Height. From seat pan.	18″	19"	20″

BACKREST SPECIFICATIONS

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a pair of plastic lateral wedge inserts.

TB3 BACK SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. Select size in Back Support Dimensions	Stand
Stealth Adapter Interface Plate SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2.	£
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.	F

TB3 BACK SUPPORT POSTIONING

TRU-Balance 3 Static Back. Angle can be preset manually.	Standard
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports or powered recline.	£150
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£600

BACK CANE ONLY SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Lateral Wedges. Select size in Back Support Dimensions					oport Dimensions Standard
ADI Back Support. Skin protection, 4 way stretch, Coolcore cover. Mounts to canes with cane clamps.					POA
Enter ADI Ba	ck Support part ni	umber here for quotati	on		
Back –	Tool Angle Ad	ljustable. <mark>85° to 120° in 5</mark>	° increments.		Standard
Cane Only	Flip-forward Back Canes. Not suitable for occupied transport or with Endo mounts.				£200
Support — Positioning	2" Endo Cane Mounts. 1" each side. Reduces back width by 2".				£40
	4" Endo Cane	Mounts. 2" each side. Red	duces back width by 4".		£40
Back Cane Height. — From seat pan.	16"H	17 "H	18 <i>"</i> H	19 <i>"</i> H	20 <i>"</i> H
	21 "H	22 "H	23 "H	24 "H	25 "H

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if omit back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Support Width Package. —		12″-14″W	14"-16"W	16"-20"W
		18"-22"W	20"-24"W	
Back	12″W	14″W	16″W	17″W
Support	18 "W	19″W	20"W	21″W
Width. —		24″W		
Back Support — Height. From seat pan.	14"H. <i>12"W back only</i> .	15"H. <i>12"W back only</i> .	16″H.	17″H.
	18″H.	19″H.	20″H.	21″H.
	22″H.	23″H.	24"H.	25″H.
	26"H. Not available with 24"W back.	27"H. Not available with 24"W back.	28"H. Not available with 24"W back.	29"H. Not available with 24"W back.
			19" minimum backrest heig	ht when powered recline is selected

ARM SUPPORTS

2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan. Minimum seat depth 16".</i>				Standard	
Single Post Drop-in Rem	Single Post Drop-in Removable. Adjustment range 11"-17" from seat pan. Minimum seat depth 14".				
Paediatric Single Post Dr	Paediatric Single Post Drop-in Removable. Adjustment range 7.75"- 9.75" from seat pan. 10" pads only.				
TB3 Flip-back. Adjustment	TB3 Flip-back. Adjustment range 8"-16" from seat pan. Includes lateral in/out adjustment.				
Down Posts for TB3 Flip-	Down Posts for TB3 Flip-back. Only with TB3 Flip-back arm supports. Minimum seat/back width 16".				
	10" Standard	Standard	10" Waterfall. Not with Std flip-up or TB Flex.	FOC	
Arm Support Pads	14" Standard	FOC	14" Waterfall. Not with Std flip-up or TB Flex.	FOC	
Aim Support ruus	10" Falcon Gel	£40	Falcon Gel Mounting Plates. Required for	£40	
	14" Falcon Gel	£40	2-post, Single Post & Paediatric arm supports		

CENTRE MOUNTED LEG SUPPORTS

Manually Adjustable Ce	ntre Mount Foot Platform. Minimum s	seat width 14″.		Standard
Paediatric Adj. Centre N	lount Foot Platform. 12"-14" seat width	s only.		FOC
Power Elevating Articul	ating Centre Mount Foot Platform. <i>N</i>	linimum seat v	vidth 14". Uses 1 power option.	£642
Lower Leg Extensions. From seat pan.	8"-12". Paediatric centre mount only.	FOC	10"-16". Manually adjustable & powered elevating only	Standard
Footplates.	10"W x 6"D Split Footplates. Paediatric centre mount only.	FOC	10"W x 8"D Split Footplates.	FOC
	10"W x 11"D Split Footplates.	Standard		
Calf Support	Individual Calf Pads. 6"W x 6"H.	Standard	Calf Panel. 18"W x 8"H.	£42
can support.	Reverse Dartex Calf Pad Covers	£42 (Reverse Dartex Calf Panel Cover.	£62
	4" Width Extension Kit. Not avai	lable with 2″ le	ngth kit or 10″W x 6″D footplates.	£16
Footplate	2" Length Extension Kit. Not ava	ilable with 4″ v	vidth kit or 10″W x 6″D footplates.	£16
Accessories.	Footplate Connector.	£10	Outer Edge Supports.	£10
	Wheel Bumpers.	£10	Certain configurations may result in reduced gro below footplates. Contact Quantum Technical fo	

INDIVIDUALLY MOUNTED LEG SUPPORTS

70° Swing-away Legrests. Flip-up footplates. Adj. range 12" to 15". Minimum seat width 15".	FOC
90° Paediatric Swing-away Legrests. 4"W x 6"D angle & depth adj. fooplates. Adjustment range 7" to 11".	£110
Manual Elevating Swing-Away Legrests. Flip-up footplates. Adj. range 15" to 20". Min. seat width 15".	£130
Power Elevating Swing-away Legrests. Flip-up f/plates. Adj. range 14.5" to 19.5". Min. seat width 16". Uses 2 power options.	£650

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

4"W x 6"D

6"W x 8"D

Small Calf Pads

Large Calf Pads

Footplate Size.

Accessories.

	60° to 90° Tool Adjustable	Swing-away Legrests.	Select lower	s and footplates below	v. Minimum seat	width 15″.	£110
	Lower Leg Extensions. From seat pan.	11″-13″	FOC	13.5″-16.5″	Standard	15.5″-19.5″	FOC
°06 O	Footplate Type.	Flip-up Extruded. 8.5"W x 6"D.	STD	Angle & Depth Adjustable. <i>Sele</i>		Multi-axis. <i>Select</i> size below.	£263
60° T	Footplate Size. <i>Angle</i>	4"W x 6"D	FOC	5″W x 6″D	FOC	5″W x 8″D	FOC
	adj. & Multi-axis only.	6"W x 8"D	STD	6"W x 11"D	FOC	8"W x 11"D	FOC
	Accessories.	Wheel Bumpers					£10
	Power Elevating Articulati	ng Swing-Away Legres	its. Inc. calf	pads. Adj.range 15″ to .	20". Min. seat wid	dth 15". Uses 2 power optic	ons. £1,300
LATING	Lower Leg Extensions. From seat pan.	11"-13"	FOC	14.5″-18″	Standard	17.5″-21″	FOC
RTICU	Footplate Type.	Angle & Depth Adj	ustable. <i>Se</i>	elect size below.			Standard

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

Adjustment ranges above are from seat pan to footplates. Individual legrests are supplied with heel loops.

5"W x 6"D

6"W x 11"D

£44

£44

FOC

FOC

Wheel Bumpers

Gel Padded Knee Adductors

5"W x 8"D

8"W x 11"D

Stealth Residual Limb Support (each). *Includes a 60-90° Swing-away legrest hanger for mounting.* **LEFT**£300
Limb Support
£300 **RIGHT**

FOC

STD

FOC

FOC

£10

£60

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	£219
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	£219
UniLink 14" Adjustable Comfort Plus. HMO475-17M/ACP150M.	£327
Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.	£88

 $Please\ visit\ steal th products. com\ for\ alternative\ head\ supports.$

STEALTH TRUNK SOLUTIONS

UniLink Thoracic .	Lateral Thoracic Swing	-away Hardware	. £425	Additional 1.5" Link (ea	nch). £52
Lateral Supports.	3" H x 5" L Curved Lat	eral Pad.	£72	Additional 2" Link (eac	h). £52
Supplied as a pair.	4" H x 6" L Curved Lat	eral Pad.	£72	Additional 3" Link (eac	h). £52
	Extra Small £137 /	Classic	STD* /	Dynamic STD* /	Vinyl Face FOC
-	Small £137	Contoured	FOC	Structured FOC	Zipper Face** FOC
4-Point Harness.	Medium £137		(<i>/</i> -	**Classic Only.
-	Large £137				
-	Extra Large £137				
	Extra Small £87	Small	£87)	Side Release	Standard
Chest Strap.	Medium £87	Large	£87	Velcro Release	£19
_	Extra Large £87		<u> </u>		

*STD = Standard option.

STEALTH PELVIC & THIGH SOLUTIONS

		£176	UniLink	Hip Gui	de Long Removable.	£17	6		
llailiak Thiah		£176	Unilink	Hip Guic	le Short Removable.	£17	6		
UniLink Thigh Supports.	LEFT	£48		4x4 Pelv	ic Thigh Pad.	£4	8	RIGH	IT
		£48		4x8 Pelv	ic Thigh Pad.	£4	8		
		£48	4	x12 Pelv	vic Thigh Pad.	£4	8		
***************************************	•••••	£156	·····	ixed Ca	ne Mounted.	£15	6	•••••	
		£170	Swi	ng-away	Track Mounted.	£17	0	DIC!	
Knee Adductors.	LEFT	£36		3" Roun	d Knee Pad.	£3	6	RIGH	11
		£36		4" Roun	d Knee Pad.	£3	6		
	Auto Buck	de Lap Belt	, Push Button Re	elease.	•••••	•••••		Star	ndard
Pelvic Belts.	Retractab	le Lap Belt,	Push Button Re	lease.					£156
Stealth Positioning	Extra Sma	ll £78	Small	£78)	Single Pull	STD*)	Side Re	lease	STD*
2-Point Padded	Medium	£78	Large	£78	Dual Pull	FOC \	Push Bu	utton	FOC
Pelvic Belt.	Extra Larg	e £78			Rear Pull	FOC			
Stealth Positioning 4-Po	oint Linear		Extra Smal	£120	Small £	E120 /	Push Bı	utton	STD*
Padded Pelvic Belt, Sing	le Pull.	-	Medium	£120	Large £	E120	Side Re	lease	£20
	Fixed Flip	-down Har	dware. MTHW-660.	£180	Small Wedge. /	MTMD-12.		•••••	£103
Medial Supports (Pommels).	Medium V	Vedge. MT/	ИD-13.	£103	Large Wedge. /	MTMD-14.			£103
, · · · · · · · · · · · · · · · · · · ·	Adjustabl	e Wedge. <mark>M</mark>	1TMD-42.	£199					
	• • • • • • • • • • • • • • • • • • • •	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	•••••	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	•••••

Please visit stealthproducts.com for alternative lateral, pelvic & lower extremity solutions *STD = Standard option

NON-EXPANDABLE CONTROLS

NE + Controls. With	no power options.	Standard
NE + Controls. 2 pou	ver option ready.	£125
	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	Attendant Control. Hand control mounted at rear.	£100
	Dual Controls. Hand control and secondary attendant control at rear.	£430

EXPANDABLE CONTROLS

Q-Logic 3e Controls. No power options.	£225
Q-Logic 3e Controls. 2 power option ready.	£300
Q-Logic 3e Controls. 5 power option ready.	£500
Q-Logic 3 EX Controls. <i>No power options</i> .	£275
Q-Logic 3 EX Controls. 2 power option ready.	£350
Q-Logic 3 EX Controls. 5 power option ready.	£550
Q-Logic 3 Enhanced Display. Includes 2 egg switches & flexible display mount.	£1,074
SCIM Module Kit, Allows Q-Logic 3 EX joystick display to be used for speciality controls. Not available with 3e controls.	£316

	Button Switch Module. ite armrest unless specified. n ilevel is selected.	£300	Push Button iAccess Toggle Lever iAccess	If iAccess is selected choose either Push Button or Toggle leaver option.
*****************	Hand Control. <i>Select p</i>	osition in Hand Contr	ol Mounts below.	Standard
Control	Omit Hand Control.)ften selected when El	D is used as master remote with spe	cial device£100

rd 00 Method. Attendant Control. Hand control mounted at rear. £100 Dual Controls. Hand control and secondary attendant control at rear. £430

Please visit stealthproducts.com for alternative control options such as mini joysticks, head arrays & switches.

HAND CONTROL MOUNTS

 Fixed.					Stan	dard
Swing-away. Swings in a	& out with height, tension an	d pivot adjustm	nent.			£75
Retract 4 Swing-away.	Full 180° Movement.					£150
Mounting Position.	Left	FOC	Right	Standard		
	Standard Carrot	STD	T-Bar	£35	Extended I-Handle	£35
Hand Control Joystick Handle. _	Mushroom	£35	Medium Ball	£35	3" Goal Post	£50
_	Chin Cup	£35	Soft Ball	£35	4" Goal Post	£50

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included.	Standard
4 Mph Program with Lights and indicators.	£450
6 Mph Program with Lights and indicators.	£450
Lights & Indicator Surcharge. Required if no power options have been selected.	£260
ED Fender Lights. Includes single switch button mounted to side rail. Not road legal.	Standard
Omit LED Fender Lights.	FOC

ACCESSORIES

USB Mobile Device Charger. Please specify mounting position. i.e arm support, backrest, seat rail.	
Cup Holder. Only with TB3 flip-back arm supports.	
Personal Item Hooks. <i>Not with back cane option</i> .	
Mobile Phone Holder. Only with TB3 arm supports.	
Back Pack Holders. Not with back cane option.	
Clothes Guards. Only with TB3 arm supports.	
Glove Box.	
Hydration System.	
Oxygen Holder.	
Quick Release Transfer Bars.	
Stealth Tablet Holder.	
Push Handles. Not with back cane option.	
Accessory Bar.	
Back-up Camera.	
Quantum Back Pack.	
Additional XLR USB Charger Port.	
Magnetic to XLR Charger Adapter. Only with Q-Logic 3e.	
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.	
Wooden Trim Kit for Tray. Only with swing-away tray table.	

NOTES & SPECIAL REQUESTS

PRICE

EDGE 3 STRETTO WITH TB3 SEATING



BASE PRICE

£6,050

COST OPTIONS

TOTAL



Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk RETAIL UK - 17/03/23 V1













