

RETAIL UK

**ENZO™**

**ORGANISATION DETAILS**

Organisation Name \_\_\_\_\_

Order Date \_\_\_\_\_

Address \_\_\_\_\_

Postcode \_\_\_\_\_

Phone \_\_\_\_\_ Email \_\_\_\_\_

PO No \_\_\_\_\_ Order Ref \_\_\_\_\_

**DELIVERY DETAILS**


Organisation Address \_\_\_\_\_

Postcode \_\_\_\_\_

Stealth Specialist \_\_\_\_\_

① Clients Weight \_\_\_\_\_

**MEASUREMENTS**



**Adjustability ranges**

Capacity 185lbs / 84kg      Seat to Floor 13.5 - 20"  
 Seat Depth 11 - 20"      Tilt Angle -5° to 45°  
 Seat Width 12 - 18"      Hip Angle 90° to 110°

**BASE MODEL**

WC-19 Transit System with Belt  
 45° Posterior Tilt  
 Optional 5° Anterior Tilt  
 Wheel and Caster Choices  
 Push to Lock, Hub Lock,  
 or Drum Brakes



Folding Frame with Excellent Rigidity  
 Rigid Frame Option  
 Hand or Foot Tilt Options  
 Adj. Depth Clamping Seat Rails  
 Adj. Height Clamping Back Canes  
 Maximum user weight.....

**OPT 1 - ENZO SIDE FOLD      £2450**

Adj. Side-Fold 12-14". <i>3101-0214.</i>	12"	13"	14"	FOC
Adj. Side-Fold 14-16". <i>3101-0216.</i>	14"	15"	16"	FOC
Adj. Side-Fold 16-18". <i>3101-0218.</i>	16"	17"	18"	FOC

**OPT 2 - ENZO RIGID      £2400**

ENZO Rigid 12". <i>3101-0012.</i>	FOC
ENZO Rigid 13". <i>3101-0013.</i>	FOC
ENZO Rigid 14". <i>3101-0014.</i>	FOC
ENZO Rigid 15". <i>3101-0015.</i>	FOC
ENZO Rigid 16". <i>3101-0016.</i>	FOC
ENZO Rigid 17". <i>3101-0017.</i>	FOC
ENZO Rigid 18". <i>3101-0018.</i>	FOC

## ENZO SIDE FOLD

Standard 90° Push Handles.		FOC
Foot Tilt. 3101-2001	Push to Lock Wheel Lock. -1.	FOC
	Drum Brake. -4.	£195
Hand Tilt. 3101-2002	Push to Lock Wheel Lock. -1.	FOC
	Attendent Hub Lock. -2.	FOC
	Dual Push to Lock & Hub Lock. -3.	£55

Push to wheel lock - not compatible with O2 Holder.

Attendent Hub Lock, Dual Push to Lock, Hub Lock - Requires 12" or 16" hub lock wheels.

Drum Brake - Requires 16" drum brake wheels.

## ENZO RIGID

Standard 90° Push Handles.		FOC
Push to Lock Wheel Lock. -1.		FOC
Foot Tilt. 3101-2003	Attendent Hub Lock. -2.	FOC
	Dual Push to Lock & Hub Lock. -3.	£55
Drum Brake.		£195
Hand Tilt. 3101-2004	Push to Lock Wheel Lock. -1.	FOC
	Attendent Hub Lock. -2.	FOC
	Dual Push to Lock & Hub Lock. -3.	£55
Stroller Handle.		FOC
Foot Tilt. 3101-2005	Push to Lock Wheel Lock. -1.	FOC
	Attendent Hub Lock. -2.	FOC
	Dual Push to Lock & Hub Lock. -3.	£55
Hand Tilt. 3101-2006	Push to Lock Wheel Lock. -1.	FOC
	Attendent Hub Lock. -2.	FOC
	Dual Push to Lock & Hub Lock. -3.	£55

## DECAL OPTIONS

Voltage Green. 3101-0106.	FOC	Azure Blue. 3101-0110.	FOC
Sunset Orange. 3101-0107.	FOC	Dragon Fruit Red. 3101-0111.	FOC
Starburst Yellow. 3101-0108.	FOC	Galaxy Purple. 3101-0112.	FOC
Magenta Pink. 3101-0109.	FOC	Omit Decal. 3101-0199.	FOC

## SEAT TILT RANGE

-5° to 45° (Include, but do not install range limiter). 3101-7012.	Standard
0° to 45° (Install range limiter). 3101-7013.	FOC

A range limiting shaft collar will be installed by the factory if 3101-7005 is selected. Otherwise, range limiting shaft collar will be packaged with the user manual.

## TRANSIT OPTION

Transit Option Included In Base Price. <i>This option is not retrofittable.</i>	FOC
---	-----

The transit option includes 4 installed anchors & has been tested in compliance with WC-19 standards. Tested with Stealth WC-20 Transit Knob Hardware. For more information on please visit [www.wc-transportation-safety.com](http://www.wc-transportation-safety.com).

## BACK CANE OPTIONS

Back Cane Height. <i>Select a back cane height. Height measured from top of seat rails.</i>	Back Cane for up to 18"/46 cm clamp height. <i>Standard for 12-14" Width Chair. 3101-4012.</i>		FOC			
	Back Cane for up to 20"/51 cm clamp height. <i>Standard for 14-16" Width Chair. 3101-4014.</i>		FOC			
	Back Cane for up to 22"/56 cm clamp height. <i>Standard for 16-18" Width Chair. 3101-4016.</i>		FOC			
	Add Non-folding Rigidizer Bar between Back Canes. <i>Vertical position adjustable. 3101-4001.</i>		£100			
	Add Flip-Down Rigidizer Bar between Back Canes. <i>Vertical position adjustable. 3101-4010.</i>		£150			
Bolt Adjustable Back Cane Angle.	90°. 3101-4090.	Standard	95°. 3101-4095.	FOC	100°. 3101-4100.	FOC
	105°. 3101-4105.	FOC	110°. 3101-4110.	FOC		

## CASTER & WHEEL OPTIONS

### 12" or 16" Poly Mag Leggero Smooth Roll Wheels and Casters.

FOC

WHEEL	CASTOR	SEAT TO FLOOR HEIGHT							
		13.5"***‡	14"	15"	15.5"	16"	16.5"	17"	
12" 2010	5" 05	135	140	150	155	160	165	170	
	6" 06	150	155	160	165	170			
	7" 07	155	160	165	170				
16" 2011	5" 05	140	145	150	155	160	175	175	180
	6" 06	150	155	160	175	175	180	185	185
	7" 07	155	160	175	175	180	185	190	190

3101 -  -  -  Add the italic numbers to complete the part number: **3101-XXXX-XX-XXX**

### 12" or 16" Hub Lock (HL) Poly Mag Leggero Smooth Roll Wheels and Casters.

FOC

WHEEL	CASTOR	SEAT TO FLOOR HEIGHT				
		15"‡	15.5"‡	16"‡	16.5"	17"
12" 2012	5" 05	150	155	160	165	170
	6" 06	150	155	160	165	170
	7" 07	155	160	165	170	
16" 2013	5" 05	170	175	180		
	6" 06	170	175	180	185	
	7" 07	170	175	180	185	190

3101 -  -  -  Add the italic numbers to complete the part number: **3101-XXXX-XX-XXX**

### 16" Drum Brake (DB) Compatible Poly Mag Wheels and Leggero Smooth Roll Casters.

FOC

WHEEL	CASTOR	SEAT TO FLOOR HEIGHT							
		14"‡	14.5"‡	15"‡	15.5"‡	16"	17"	17.5"	18"
16" 2014	5" 05	140	145	150	155	160	170	175	180
	6" 06	150	155	160	170	175	180	185	185
	7" 07	155	160	170	175	180	185	190	190

3101 -  -  -  Add the italic numbers to complete the part number: **3101-XXXX-XX-XXX**

### 20" Mag Wheels and Leggero Smooth Roll Casters.

FOC

WHEEL	CASTOR	SEAT TO FLOOR HEIGHT							
		15.5"‡	16"‡	16.5"‡	17"‡	17.5"			
20" 2015	5" 05	155	160	165	170	175			
	6" 06	155	160	165	170	175	185		
	7" 07	155	160	165	170	175	185	190	195

3101 -  -  -  Add the italic numbers to complete the part number: **3101-XXXX-XX-XXX**

Tires.  
*20" Mag Wheels.*

20" Poly Tire. *3101-2027.*

FOC

20" Rubber Tire with Airless Insert. *3101-2017. E2213.*

£70

Handrim.  
*20" Mag Wheels.*

20" Anodized Aluminum Handrim. *3101-2016.*

£95

22" Spoke Wheels with Anodized Aluminum Handrims and Leggero Smooth Roll Casters.

£160

22 SPOKE	WHEEL	CASTOR	SEAT TO FLOOR HEIGHT					
	22" 2018	5" <i>05</i>	16.5" ‡ <i>165</i>	17" ‡ <i>170</i>	17.5" ‡ <i>175</i>	18" ‡ <i>180</i>		
		6" <i>06</i>	16.5" ‡ <i>165</i>	17" ‡ <i>170</i>	17.5" ‡ <i>175</i>	18" ‡ <i>180</i>	18.5" <i>185</i>	
		7" <i>07</i>	16.5" ‡ <i>165</i>	17" ‡ <i>170</i>	17.5" ‡ <i>175</i>	18" ‡ <i>180</i>	18.5" <i>185</i>	19.5" <i>195</i>
						20" <i>200</i>		

3101 -  -  -  Add the italic numbers to complete the part number: **3101-XXXX-XX-XXX**

Tires. 22" Spoke Wheels.	22" Poly Tire. <b>3101-2023.</b>	FOC
	22" Pneumatic Tire. <b>3101-2024.</b>	FOC
	22" Airless Insert. <b>3101-2019. E2213.</b>	£70
Handrim. 22" Spoke Wheels.	Omit Anodized Alum Handrim. <b>3101-2099.</b>	FOC

24" Spoke Wheels with Anodized Aluminum Handrims and Leggero Smooth Roll Casters

£160

24 SPOKE	WHEEL	CASTOR	SEAT TO FLOOR HEIGHT					
	22" 2021	5" <i>05</i>	17.5" ‡ <i>175</i>	18" ‡ <i>180</i>				
		6" <i>06</i>	17.5" ‡ <i>175</i>	18" ‡ <i>180</i>	18.5" <i>185</i>			
		7" <i>07</i>	17.5" ‡ <i>175</i>	18" ‡ <i>180</i>	18.5" <i>185</i>	19" <i>190</i>	19.5" <i>195</i>	


3101 -  -  -  Add the italic numbers to complete the part number: **3101-XXXX-XX-XXX**

Tires. 24" Spoke Wheels.	24" Poly Tire. <b>3101-2025.</b>	FOC
	24" Pneumatic Tire. <b>3101-2026.</b>	FOC
	24" Airless Insert. <b>3101-2022. E2213.</b>	£70
Handrim. 24" Spoke Wheels.	Omit Anodized Alum Handrim. <b>3101-2199.</b>	FOC

\* Anterior tilt is not available with 13.5"/34cm STF option. ‡ Indicates wheel position is not compatible with the extended rear seat rail option (3101-3110)

## WHEELBASE

Leggero will select optimal position. <b>3101-2095.</b>	STD
Minimum (17.5 in / 44 cm). Caster Arm in Back Position. Axle Plate in Forward Position.	<b>3101-2091.</b> FOC <i>Default for widths below 14"</i>
Medium Shifted Forward (18.5 in / 47 cm). Caster Arm in Forward Position. Axle Plate in Forward Position.	FOC <b>3101-2092</b>
Medium Shifted Back (18.5 in / 47 cm). Caster Arm in Back Position. Axle Plate in Back Position.	FOC <b>3101-2093.</b>
Maximum (19.5 in / 49 cm). Caster Arm in Forward Position. Axle Plate in Back Position.	FOC <b>3101-2094.</b> <i>Default for widths 14" +</i>



## HANGER MOUNT AND SEAT RAIL

Seat Rail Length A, in figure above, is measured to the back cane. Back cushion thickness should be factored into overall seat depth required. The front surface of the installed back cushion must be within 1" (2.5 cm) of the tilt pivot to maintain a safe center of gravity. Seat rail holes are spaced 1" (2.5 cm) apart. Using abducted seat rails with short seat depths will cause additional caster interference.

Seat Rail Length A Options. <i>(A = Seat Depth + Back Cushion Thickness) selected.</i>	Standard Hanger / Length A Range 13-19"/33-48 cm. <i>Std for 12-14" Width Chair. PN. 3101-3010.</i>	FOC
	Standard Hanger / Length A Range 14-20"/36-51 cm. <i>Std for 14-16" Width Chair. PN. 3101-3020.</i>	FOC
	Standard Hanger / Length A Range 17-22"/43-56 cm. <i>Std for 16-18" Width Chair. PN. 3101-3030.</i>	FOC
	1" Offset Hanger / Length A Range 13-19"/33-48 cm. <i>Std for 12-16" Width Chair. PN. 3101-3040.</i>	FOC
	1" Offset Hanger / Length A Range 17-22"/43-56 cm. <i>Std for 16-18" Width Chair. PN. 3101-3050.</i>	FOC
Extended Rear Seat Rail Option.	Long Rear Seat Rails, adds 3" / 8 cm behind pivot to both seat rails. <i>PN. 3101-3110.</i>	FOC

## ARMRESTS & POSITIONING TRAY

Armrests. <i>Select an armrest style and pad length. Armrest height is measured from the top of the seat rail to the top of the armpad.</i>	Back Cane Mounted Locking Flip Up Armrests. <i>Height: 7-13"/19-33 cm; height may be increased to 14"/36 cm with longest back canes. 3101-6001.</i>	£210
	Back Cane Mounted Non-Locking Flip Up Armrests. <i>Height: 7-13"/19-33 cm; height may be increased to 14"/36 cm with longest back canes). 3101-6010.</i>	£210
	Seat Rail Mounted, Single Post Height Adjustable / Removable, Short. <i>Height: 8.5-10.5"/22-27 cm. Depth Adjustable. 3101-6002.</i>	FOC
	Seat Rail Mounted, Single Post Height Adjustable / Removable, Tall. <i>Height: 10.5-14"/27-36 cm. 3101-6003.</i>	FOC
Armrest Pad Length. <i>Selection required with Armrests.</i>	Desk Length 10"/25 cm. <i>3101-6004.</i>	FOC
	Full Length 13.5"/34 cm. <i>3101-6005.</i>	FOC
Positioning Tray. <i>Only if Armrests are selected.</i>	Clear Positioning Tray Platform (12-14"). <i>3101-6006.</i>	£120
	Clear Positioning Tray Platform (14-16"). <i>3101-6007.</i>	£120
	Clear Positioning Tray Platform (16-18"). <i>3101-6008.</i>	£120
	Tray Hardware, Height Adjustable. <i>3101-6009.</i>	£120

Armrests & Tray Hardware are required when ordering Tray Platform.

## STANDARD FRONT RIGGING

Omit Front Rigging and Foot plates. <i>3101-5099.</i>		FOC
70° Swing Away Leg Hangers. <i>3101-5002.</i>		FOC
80° Swing Away Leg Hangers. <i>3101-5003.</i>		FOC
90° Swing Away Leg Hangers. <i>3101-5001.</i>		FOC
Swing Away ELR. <i>3101-5005.</i>		£200
Short Upper.	Short Extension 7.5-11.5"/19-29 cm. <i>-11</i>	
	STD Extension 7.5-13.5"/19-34 cm. <i>-12</i>	
Medium Upper.	Short Extension 9-13"/23-33 cm. <i>-21</i>	
	Standard Extension 9-15"/23-38 cm. <i>-22</i>	
Long Upper.	Standard Extension 11-17"/28-43 cm. <i>-32</i>	
Omit Footplate. <i>3101-5199.</i>		FOC
Foot Plate.	Flip Up, Height/Angle Adjustable, Alum. <i>3101-5008.</i>	FOC
	Heel Loop for Foot Plate. <i>3101-5007.</i>	£35
Calf Pad.	Left. <i>3101-7016.</i>	£35
	Right. <i>3101-7017.</i>	£35

Calf Pad is not compatible with Short Upper.

## DIRECT MOUNT FRONT RIGGING

90° Swing-away Direct Mount Leg Hangers. <i>For lower leg length of 3-9"/8-23 cm. 3101-5004.</i>		FOC
Direct Mount Foot Plate.	Direct Mount Flip Up, Height/Angle. Adjustable, Alum. <i>3101-5006.</i>	FOC
	Heel Loop for Foot Plate. <i>3101-5007.</i>	£35

Add this to the rigging part number

*Append the rigging length combination's two digit part number extension to the rigging part number.*

## ENZO SEAT PAN OPTIONS

Removable Enzo Solid Seat Pans.	12"-13"W, 12"-18" D. <i>3101-ESSP12. Width and Depth Adjustable.</i>	£170
	14"-15"W, 13"-19" D. <i>3101-ESSP14. Width and Depth Adjustable.</i>	£170
	16"-17"W, 15"-22" D. <i>3101-ESSP16. Width and Depth Adjustable.</i>	£170
	17"-18"W, 15"-22" D. <i>3101-ESSP17. Width and Depth Adjustable.</i>	£170
Leggero Removable Hardware.	Removable Seat Pan Hardware. <i>3101-ERSPH.</i>	£116
Enzo Fixed Solid Seat Pan.	12x14. <i>3101-EFSP1214.</i>	£117
	14x16. <i>3101-EFSP1416.</i>	£117
	16x16. <i>3101-EFSP1616.</i>	£117
	17x18. <i>3101-EFSP1718.</i>	£117
	18x18. <i>3101-EFSP1818.</i>	£117

\*Leggero Removable Hardware is required with the Enzo Removable Seat Pan.

\*Not Compatible with Side Fold Frames.

## SP™ PELVIC POSITIONING BELTS

4-Point, Push Button 1", XS. <i>IFPB5141.</i>	£125
4-Point, Push Button 1.5", SM. <i>IFPB5242.</i>	£125
4-Point, Push Button 1.5", M. <i>IFPB5243.</i>	£125
2-Point, Push Button 1", XS. <i>IFPB5111.</i>	£83
2-Point, Push Button 1", SM. <i>IFPB5112.</i>	£83

## REAR ANTI-TIPS

Curb Assist Flip Up, Adjustable (pair). <i>3101-7005. Includes one standard and one curb assist anti-tip.</i>	£120
Flip Up, Adjustable (pair). <i>3101-7006.</i>	£120

Anti-Tip Select is Required.

## MEDICAL MOUNTING ACCESSORIES Add PN.

IV Pole. <i>3101-7007. Not compatible with Flip-Up Armrests.</i>	£120
Oxygen Tank Holder (D size). <i>3101-7008. O2 Holder is not compatible with standard wheel locks. Requires 12 or 16" rear wheels. Requires STF between 17-19" (43-48 cm). Wheelbase will be set to required position.</i>	£135
LTV Bracket for LTV9503. <i>3101-7009. Rigid frame, Rigidizing Bar 3101-4001, and 14" or wider chair is required for LTV950 bracket.</i>	£200
Equipment Tray. <i>3101-7010. Rigid frame is required for Equipment Tray.</i>	£275
LTV950 Bracket and Equip. Tray. <i>3101-7011. Rigid frame, Rigidizing Bar 3101-4001, and 14" or wider chair is required for LTV950 bracket. When Equipment Tray is ordered in combination with Oxygen Tank Holder, a Hub Lock is required. Rigid frame is required for Equipment Tray.</i>	£385

Medical Mounting Accessories must be factory installed. Combined weight of accessories & occupant must not exceed chair capacity. Ventilator, oxygen tank, and any other accessories must be removed and secured off chair during transit in a motor vehicle.

## PRICE

OPT 1	BASE PRICE	£2450	OPT 2	BASE PRICE	£2400
ENZO	COST OPTIONS		ENZO	COST OPTIONS	
SIDE FOLD	TOTAL		RIGID	TOTAL	



**Quantum®**  
 32 Wedgwood Road, Bicester,  
 Oxon, OX26 4UL  
 Phone: 01869 324600  
 Fax: 01869 323070  
 Email: sales@quantumrehab.co.uk  
 Web: www.quantumrehab.co.uk  
**RETAIL UK - 29/10/24 V1**

