



#### RETAIL UK

# **Q6 EDGE 2.0 HD WITH TB3 SEATING**

#### DEALERS DETAILS

Dealers Name

#### Order Date

Address

	Postcode
Phone	Email
PO No	Order Ref

Height Adjustable Removable Armrests

#### DELIVERY DETAILS

Dealers Address

Quantum Specialist

**Clients Weight** 

# £5,750

2" x 6" Flat Free Rear Castors SRS Suspension System NE+ Control System 2 x 62 ah Batteries 4 Mph (6 Km/h) 4-pole Motors Max User Weight: 28 st 5lbs. (181.0 kg)

Postcode

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature

**BASE MODEL** 

**Centre Mount Foot Platform** 

14" Flat Free Drive Tyres 2" x 6" Flat Free Front Castors

14 Colour Options

**TB3** Seating

#### **DRIVE WHEELS**

3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	Standard
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. Increases overall base width by 1.5".	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. Increases overall base width by 1.5".	£320

#### COLOURS

Back in Black	Standard	Lemon Crush*	
Green Machine	FOC	Night Train*	FOC
Midnight Blue	FOC	Evolution Orange*	FOC
Electric Blue	FOC	Military Green*	FOC
Deep Purple	FOC	Grey Street*	FOC
Red Corvette	FOC	White Satin*	FOC
Pretty in Pink	FOC	Custom Hydro Dip*	£600
		custom riyaro bip	

Please download our free PQ-365 app to view colours and other product features in more detail.





\* Extended lead-time.

App Store



#### **SEAT PACKAGES - SEAT WIDTH**

#### 20"-24"W

Set width at:

#### **SEAT PACKAGES - SEAT DEPTH**

20"-24"D

Set depth at:

### **STEALTH SEAT CUSHIONS**

No Seat Cushion Required.	FOC
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 226.7 Kg weight limit.	STD
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 181.4 Kg weight limit.	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 204 Kg weight limit.	FOC
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 181.4 Kg weight limit.	FOC
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 226.7 Kg weight limit.	FOC
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 204 Kg weight limit.	FOC
Premiere P: Positioning, 4-way stretch, Coolcore cover. 226.7 Kg weight limit.	FOC
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 340 Kg weight limit.	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

### **SEAT POSITIONING**

Static Seat.				
TRU-Balance 3 HD Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.				
iLevel Powered Seat Lift & Tilt. 10" lift & 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options.				
Static Seat to Floor Height. From seat pan.	16″	17″	18″	
Powered Tilt Seat to Floor Height. From seat pan.	17.5″	18.5″	19.5″	
Powered iLevel Lift & Tilt Seat to Floor Height. From seat pan.	18″	19″	20″	

## **BACKREST SPECIFICATIONS**

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

## **TB3 BACK SUPPORT**

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions	Standarc
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.	£50
Stealth Adapter Interface Plate SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2.	£341
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.	POA

TB3 BACK SUPPORT POSTIONING	
TRU-Balance 3 Static Back. Angle can be preset manually.	Standard
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports or powered recline.	£150
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£600

### **BACK CANE ONLY SUPPORT**

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions					ort Dimensions Standard
Privacy Flap.	12.75"W. Closes gap	between back support and	l seat pan.		£25
•		n, 4 way stretch, Coolcore umber here for quotati		h cane clamps.	POA
	Tool Angle Ad	ljustable. <mark>85° to 120° in 5</mark>	° increments.		Standard
Back – Cane Only	ly Flip-forward Back Canes. Not suitable for occupied transport or with Endo mounts.				
Support — Positioning. —	2" Endo Cane Mounts. 1" each side. Reduces back width by 2".				
rositioning. –	4" Endo Cane Mounts. 2" each side. Reduces back width by 4".				
Back Cane	16″H.	17″H.	18″H.	19″H.	20″H.
Height. <sup>–</sup> From seat pan.	21″H.	22″H.	23″H.	24″H.	25″H.

# **BACK SUPPORT DIMENSIONS**

Compatible with TB3 and Back Canes options above. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Suppor	t Width Package.		16″-20″W.	20"-24"W.
Back Support	16″W.	17″W.	18″W.	19″W.
Width.	20″W.	21″W.	22″W.	24″W.
Back	16″H.	17″H.	18″H.	19″H.
Support	20″H.	21″H.	22″H.	23″H.
Height	24″H.	25″H.	26"H. Only available with power recline.	27"H. Only available with power recline.
nan				

pan. 28"H. Only available with power recline. 

19" minimum backrest height when powered recline is selected.

#### **ARM SUPPORTS**

Height Adjustable, Remo	vable, Heavy Duty.			Standard
HD Removable Height Package. <i>From seat pan</i> .	8″-12″.	FOC	10″-14″.	Standard
TB3 Flip-back with Down	Posts. Adjustment range 8"-16"	from seat pan. Inclu	udes lateral in/out adjustment.	£450
	10" Standard	Standard	10″ Waterfall.	FOC
	14" Standard	FOC	14" Waterfall.	FOC
Arm Support Pads.	17" Standard. TB3 only. Minimum seat depth 16".	£50	Falcon Gel Mounting Plates. <i>Required for Height Adjustable HD arm supports</i> .	£40
	10" Falcon Gel	£40		
	14" Falcon Gel	£40		

CENTRE MOUNTED I	LEG SUPPORTS			
Base Mounted Flip-up F	oot Platform. <i>Mounted to chassis. Will n</i>	not move with pov	vered lift or tilt.	FOC
Manually Adjustable Ce	ntre Mount Foot Platform.			Standard
Power Elevating Articula	ating Centre Mount Foot Platform. L	Jses 1 power optio	n.	£700
5	ating & Lower To Floor Centre Moun to the floor to aid standing transfers. Uses		. Minimum seat width 14".	£1112
Lower Leg Extensions. From seat pan.	10"-16".	Standard	13"-19".	FOC
Footplates.	10"W x 8"D Split Footplates.	FOC	10"W x 11"D Split Footplates.	Standard
Calf Support	Individual Calf Pads. <u>6"W x 6"H</u> .	Standard (	Calf Panel. 18"W x 8"H.	£42
	Reverse Dartex Calf Pad Covers	s. £42	Reverse Dartex Calf Panel Cover.	£62
	4" Width Extension Kit. Not avai	ilable with 2″ leng	th kit or 10″W x 6″D footplates.	£16
- Footplate	2" Length Extension Kit. Not available with 4" width kit or 10"W x 6"D footplates.			
Accessories.	Footplate Connector.	£10	Outer Edge Supports.	£10
	Wheel Bumpers.			£10

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

# INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

	70° Heavy Duty, Drop-in, S	Swing-away Leg	Supports. <u>Select I</u>	lowers and footplate	es below.		£360
70° HD	Lower Leg Extensions. From seat pan.	8.5"-12"	FOC	13″-18″	Standard	16″-21″	FOC
	Footplate Type.	Angle & Dep <sup>.</sup>	Angle & Depth Adjustable. <i>Select size below.</i>				
2	Footplate Size.	6″W x 8″D	Standard	6″W x 11″D	FOC	8″W x 11″D	FOC
	Accessories.	Wheel Bump	ers				£10
	Heavy Duty, Manual Eleva	iting, Swing-awa	y Leg Supports.				£360
	Lower Leg Extensions	11″-14″	FOC	14"-17"	Standard	12.5″-16.5″	FOC
		15.5″-19.5″	FOC				
þ	Footplate Type. –	Flip-up Extru	ded. 8.5″W x 6″D.				Standard
		Angle & Dep	th Adjustable. S	elect size below.			£115
	Footplate Size. –	6″W x 8″D					Standard
	Angle adj. only.	6″W x 11″D					FOC
	-	8″W x 11″D					FOC
	Accessories.	Wheel Bump	ers				£10
	Certain configurations may re fro	5				information. Adjustment g leg supports supplied v	5

Stealth Residual Limb Support (each). Includes a 60-90° Swing-away leg support hanger for mounting.	LEFT	£300	Limb Support	£300	RIGHT

#### **STEALTH HEAD SUPPORTS**

UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	£219
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	£219
UniLink 14" Adjustable Comfort Plus. HMO475-17M/ ACP150M.	£327
Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.	£88

Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.

Please visit stealthproducts.com for alternative head supports.

# **STEALTH TRUNK SOLUTIONS**

UniLink Thoracic	Lateral Thoracic Swing	ı-away Hardwar	e. £425	Additional 1.5" Link (e	£52	
Lateral Supports.	3" H x 5" L Curved Lateral Pad.		£72	Additional 2″ Link (each).		£52
Supplied as a pair.	4" H x 6" L Curved Lateral Pad.		£72	Additional 3″ Link (each).		£52
	Medium £136 )	Classic	STD* )	Dynamic STD* )	Vinyl Face	FOC
4-Point Harness.	Large £136	Contoured	FOC	Structured FOC	Zipper Face**	FOC
	Extra Large £136		(	{		
	Medium		£87 )	Side Release		STD*
Chest Strap.	Large		£87	Velcro Release		£19
	Extra Large		£87 (			

\*STD = Standard option \*\*Classic Only

#### **STEALTH PELVIC & THIGH SOLUTIONS**

		£176	UniLink Hip Guid	e Long Removable.	£176	
UniLink Thigh	Thigh		£176 Unilink Hip Guide Short Removable.		£176	
Supports.	LEFT	£48	4x4 Pelvio	£48	RIGHT	
		£48	4x8 Pelvio	: Thigh Pad.	£48	
		£48	4x12 Pelvi	£48		
•		£156	Fixed Can	e Mounted.	£156	
		£170	Swing-away	Frack Mounted.	£170	DICUT
Knee Adductors.	LEFT	£36	3" Round Knee Pad.		£36	RIGHT
		£36	4" Round	l Knee Pad.	£36	
······································	Auto Buck	de Lap Belt, Pusł	n Button Release.			Standard
Pelvic Belts	Retractab	le Lap Belt, Push	Button Release.			£156
Stealth Positioning	Large	£78	Single Pull	Standard )	Push Button	Standard
2-Point Padded	Extra Larg	e £78	Rear Pull	FOC		
Pelvic Belt		(	Dual Pull	FOC		
Stealth Positioning	Medium	•••••	£120 )	Push Button		Standard
4-Point Linear Padded Pelvic Belt,	Large		£120			
Single Pull.			ζ			
•••••	Fixed Flip-	down Hardware	e. MTHW-660. £180	Small Wedge. <i>M</i> 7	ГMD-12.	£103
Medial Supports	Medium V	Vedge. MTMD-13.	£103	Large Wedge. M	TMD-14.	£103
	Adjustable	e Wedge. MTMD-	42. £199			
•••••	P	lease visit stealthpro	ducts.com for alternative	lateral, pelvic & lower extrer	mity solutions *STD =	Standard optior

### NON-EXPANDABLE CONTROLS

NE + Controls. With I	Standard	
NE + Controls. 2 pow	er option ready.	£125
	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	Attendant Control. Hand control mounted at rear.	£100
•	Dual Controls. Hand control and secondary attendant control at rear.	£430

### **EXPANDABLE CONTROLS**

Q-Logic 3e Controls. <i>No power options</i> .	£225
Q-Logic 3e Controls. 2 power option ready.	£300
Q-Logic 3e Controls. <i>5 power option ready</i> .	£500
Q-Logic 3 EX Controls. <i>No power options</i> .	£275
Q-Logic 3 EX Controls. 2 power option ready.	£350
Q-Logic 3 EX Controls. 5 power option ready.	£550
Q-Logic 3 Enhanced Display. Includes 2 egg switches & flexible display mount.	£1074
SCIM Module Kit. Allows Q-Logic 3 EX joystick display to be used for speciality controls. Not available with 3e controls.	£316
Mounted to opposite armrest unless specified £300	cted choose either Toggle leaver option.

Supplied FOC whe	en ilevel is selected. ( Toggle Lever iAccess Push Button o	or loggle leaver option.
	Hand Control. Select position in Hand Control Mounts below.	Standard
Control	Omit Hand Control. Often selected when an ED is used as master remote with special device.	-£100
Method.	Attendant Control. Hand control mounted at rear.	£125
	Dual Controls. Hand control and secondary attendant control at rear.	£430
	Please visit stealthproducts.com for alternative control options such as mini joystic	ks, head arrays & switches.

# HAND CONTROL MOUNTS

Fixed.					Star	ndard
Swing-away. Swings in		£75				
Retract 4 Swing-away	Retract 4 Swing-away. Full 180° Movement.					£150
Mounting Position.	Left	FOC	Right	Standard		
	Standard Carrot	STD	T-Bar	£35	Extended I-Handle	£5
Hand Control Joystick Handle.	Mushroom	£35	Medium Ball	£35	3" Goal Post	£50
	Chin Cup	£35	Soft Ball	£35	4″ Goal Post	£50

### **SPEED PROGRAM & LIGHTS PACKAGE**

4 Mph Program. Lights and indicators not included.	Standard
4 Mph Program with Lights and indicators.	£450
Lights & Indicator Surcharge. <i>Required if no power options have been selected</i> .	£260

#### **ACCESSORIES** £110 USB Mobile Device Charger. Please specify mounting position. i.e arm support, backrest, seat rail. £20 Cup Holder. Only with TB3 flip-back arm supports. Personal Item Hooks. Not with back cane option. £15 Mobile Phone Holder. Only with TB3 arm supports. £40 Back Pack Holders. Not with back cane option. £30 £100 Clothes Guards. Only with TB3 arm supports. £30 Glove Box. £125 Hydration System. Oxygen Holder. £50 £125 Quick Release Transfer Bars. Stealth Tablet Holder. £342 £50 Push Handles. Not with back cane option. Accessory Bar. £50 Back-up Camera. £300 Quantum Back Pack. £110 Additional XLR USB Charger Port. £17 £49 Magnetic to XLR Charger Adapter. Only with Q-Logic 3e. £379 Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only. £100 Wooden Trim Kit for Tray. Only with swing-away tray table.

## **NOTES & SPECIAL REQUESTS**



Q6 EDGE 2.0 HD WITH TB3 SEATING



BASE PRICE £5,750
COST OPTIONS
TOTAL



#### Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk **RETAIL UK - 14/06/23 V1** 



V1: 14/06/2022