



#### RETAIL UK

## **Q6 EDGE 2.0 HD WITH TB3 SEATING**

DEALERS DETAILS		DELIVERY DETAILS
Dealers Name		Dealers Address
Order Date		
Address		
	Postcode	Postcode
Phone	Email	Quantum Specialist
PO No	Order Ref	Clients Weight

## **BASE MODEL**

14 Colour Options
Height Adjustable Removable Armrests
Centre Mount Foot Platform
TB3 Seating
14" Flat Free Drive Tyres
2" x 6" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



## £6,000

2" x 6" Flat Free Rear Castors SRS Suspension System NE+ Control System 2 x 62 ah Batteries 4 Mph (6 Km/h) 4-pole Motors Max User Weight: 28 st 5lbs. (181.0 kg)

#### **DRIVE WHEELS**

3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	Standard
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. Increases overall base width by 1.5".	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5"</i> .	£320

### **COLOURS**

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Deep Purple	FOC
Red Corvette	FOC
Pretty in Pink	FOC

Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
White Satin*	FOC
Custom Hydro Dip*	£600

<sup>\*</sup> Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.









# SEAT PACKAGES - SEAT WIDTH 20"-24"W Set width at: Set depth at:

#### **STEALTH SEAT CUSHIONS**

No Seat Cushion Required.	FOC
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 226.7 Kg weight limit.	STD
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 181.4 Kg weight limit.	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 204 Kg weight limit.	FOC
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 181.4 Kg weight limit.	FOC
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 226.7 Kg weight limit.	FOC
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 204 Kg weight limit.	FOC
Premiere P: Positioning, 4-way stretch, Coolcore cover. 226.7 Kg weight limit.	FOC
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 340 Kg weight limit.	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

#### **SEAT POSITIONING**

Static Seat.			Standard
TRU-Balance 3 HD Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.			
iLevel Powered Seat Lift & Tilt. 10" lift & 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options.			
Static Seat to Floor Height. From seat pan.	16″	17″	18″
Powered Tilt Seat to Floor Height. From seat pan.	17.5″	18.5″	19.5″
Powered iLevel Lift & Tilt Seat to Floor Height. From seat pan.	18″	19"	20″

#### **BACKREST SPECIFICATIONS**

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports.  Move directly to 'Back Cane Only Support Options' if selected.	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

#### **TB3 BACK SUPPORT**

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts.  Select size in Back Support Dimensions	J.a
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.	
Stealth Adapter Interface Plate SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2.	f
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.	

#### **TB3 BACK SUPPORT POSTIONING**

TRU-Balance 3 Static Back. Angle can be preset manually.	Standard	
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports or powered recline.	£150	
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£600	

#### **BACK CANE ONLY SUPPORT**

Active Conto	ur Back Support v	vith TRU-Comfort 2 Ba	ck Cushion and Wedge	e Inserts. Select size in Back Suppo	ort Dimensions Standard
Privacy Flap.	12.75"W. Closes gap	between back support and	l seat pan.		£25
	· ·	n, 4 way stretch, Coolcore	cover. Mounts to canes wit	h cane clamps.	POA
		Ijustable. 85° to 120° in 5			Standard
Back — Cane Only _ Support Positioning. —	Flip-forward Back Canes. Not suitable for occupied transport or with Endo mounts.				£200
	2" Endo Cane Mounts. 1" each side. Reduces back width by 2".			£40	
r ositioning. —	4" Endo Cane		£40		
Back Cane	16"H.	17″H.	18″H.	19"H.	20″H.
Height. —	21″H.	22″H.	23″H.	24"H.	25″H.

#### **BACK SUPPORT DIMENSIONS**

Compatible with TB3 and Back Canes options above. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Suppor	rt Width Package.		16"-20"W.	20"-24"W.
Back Support	16″W.	17″W.	18″W.	19″W.
Width.	20″W.	21″W.	22″W.	24″W.
Back Support Height From seat pan.	16″H.	17″H.	18″H.	19"H.
	20″H.	21″H.	22″H.	23″H.
	24"H.	25″H.	26"H. Only available with power recline.	27"H. Only available with power recline.
	28″H. Only availab	ole with power recline.		

19" minimum backrest height when powered recline is selected.

#### **ARM SUPPORTS**

Height Adjustable, Remo	vable, Heavy Duty.			Standard
HD Removable Height Package. <i>From seat pan.</i>	8″-12″.	FOC	10″-14″.	Standard
TB3 Flip-back with Down	Posts. Adjustment range 8"-16"	from seat pan. Inclu	udes lateral in/out adjustment.	£450
	10" Standard	Standard	10" Waterfall.	FOC
	14" Standard	FOC	14" Waterfall.	FOC
Arm Support Pads.	17" Standard. TB3 only. Minimum seat depth 16".	£50	Falcon Gel Mounting Plates. Required for Height Adjustable HD arm supports.	£40
	10" Falcon Gel	£40		
	14" Falcon Gel	£40		

#### **CENTRE MOUNTED LEG SUPPORTS**

Base Mounted Flip-up Foot Platform. Mounted to chassis. Will not move with powered lift or tilt.					
Manually Adjustable Ce	entre Mount Foot Platform.			Standard	
Power Elevating Articul	ating Centre Mount Foot Platform.	Uses 1 power optic	on.	£700	
3	ating & Lower To Floor Centre Mou to the floor to aid standing transfers. Use			£1112	
Lower Leg Extensions. From seat pan.	10″-16″.	Standard	13″-19″.	FOC	
Footplates.	10"W x 8"D Split Footplates.	FOC	10"W x 11"D Split Footplates.	Standard	
Calf Support.	Individual Calf Pads. 6"W x 6"H.	Standard (	Calf Panel. 18"W x 8"H.	£42	
cui support.	Reverse Dartex Calf Pad Cove	rs. £42	Reverse Dartex Calf Panel Cover.	£62	
	4" Width Extension Kit. Not avo	ailable with 2″ leng	th kit or 10″W x 6″D footplates.	£16	
Footplate 2" Length Extension Kit. Not available with 4" width kit or 10"W x 6"D footplates.					
Accessories.	Footplate Connector.	£10	Outer Edge Supports.	£10	
i.	Wheel Bumpers.			£10	

 $Certain\ configurations\ may\ result\ in\ reduced\ ground\ clearance\ below\ footplates.\ Contact\ Quantum\ Technical\ for\ information.$ 

#### **INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS**

	70° Heavy Duty, Drop-in, Swing-away Leg Supports. Select lowers and footplates below.							
	Lower Leg Extensions. From seat pan.	8.5″-12″	FOC	13"-18"	Standard	16"-21"	FOC	
o HD	Footplate Type.	Angle & Dep	th Adjustable. Se	elect size below.			Standard	
70°	Footplate Size.	6″W x 8″D	Standard	6"W x 11"D	FOC	8"W x 11"D	FOC	
	Accessories.	Wheel Bump	ers				£10	
	Heavy Duty, Manual Eleva				- C	10.5% 15.5%	£360	
	Lower Leg Extensions From seat pan.	11"-14" 15.5"-19.5"	FOC	14"-17"	Standard	12.5″-16.5″	FOC	
皇	Footplate Type. –	Flip-up Extru	ded. 8.5"W x 6"D.				Standard	
NG	гоотріате туре. —	Angle & Dep	th Adjustable. Se	elect size below.			£115	
EVAT	Footplate Size. —	6"W x 8"D					Standard	
픮	4 1 1: 1 CIDAL 11/D						FOC	
		8"W x 11"D	8"W x 11"D					
	Accessories.	Wheel Bump	ers	•••••	••••		£10	

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information. Adjustment ranges above are from seat pan to footplates. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

Stealth Residual Limb Support (each). <i>Includes a</i> 60-90° Swing-away leg support hanger for mounting.	LEFT	£300	Limb Support	£300	RIGHT

#### **STEALTH HEAD SUPPORTS**

£21
£21
£32
£8

 $Please\ visit\ steal th products. com\ for\ alternative\ head\ supports.$ 

#### **STEALTH TRUNK SOLUTIONS**

UniLink Thoracic _	Lateral Tho	racic Swi	ng-away Hardware	£425	Additional 1.5" Link (each).	£52
Lateral Supports.  Supplied as a pair.  —	3" H x 5"L	Curved L	ateral Pad.	£72	Additional 2" Link (each).	£52
supplied as a pali.	4" H x 6" L	4" H x 6" L Curved Lateral Pad.			Additional 3" Link (each).	£52
_	Medium	£136 )	Classic	STD* /	Dynamic STD* Vinyl Face	FOC
4-Point Harness.	Large	£136	Contoured	FOC	Structured FOC Zipper Face**	FOC
	Extra Large	£136		(	?	
	Medium			£87	Side Release	STD*
Chest Strap. —	Large			£87	Velcro Release	£19
	Extra Large	5	_	£87(	(	

\*STD = Standard option \*\*Classic Only

#### **STEALTH PELVIC & THIGH SOLUTIONS**

		£176	UniLink Hip Guide	Long Removable.	£176		
UniLink Thigh		£176	Unilink Hip Guide	£176			
Supports.	LEFT	£48	4x4 Pelvic	£48	RIGHT		
		£48	4x8 Pelvic	Thigh Pad.	£48		
		£48	4x12 Pelvio	Thigh Pad.	£48		
		£156	Fixed Cane	e Mounted.	£156		
Knee Adductors.	LEFT	£170	Swing-away T	rack Mounted.	£170	RIGHT	
Knee Adductors.	LEFI	£36	3" Round	Knee Pad.	£36	NIGHT	
		£36	4" Round	Knee Pad.	£36		
	Auto Bucl	kle Lap Belt, Push	Button Release.	• • • • • • • • • • • • • • • • • • • •	•••••	Standard	
Pelvic Belts.	Retractab	le Lap Belt, Push E	Button Release.		£156		
Stealth Positioning	Large	£78 /	Single Pull	Standard $ angle$	Push Button	Standard	
2-Point Padded Pelvic Belt.	Extra Larg	je <u>£78</u>	Rear Pull	FOC			
Pelvic Beit.			Dual Pull	FOC			
Stealth Positioning	Medium		£120 /	Push Button		Standard	
4-Point Linear Padded Pelvic Belt,	Large	Large £120					
Single Pull.			\ 				
-	Fixed Flip	-down Hardware.	MTHW-660. £180	Small Wedge. <i>I</i>	MTMD-12.	£103	
Medial Supports (Pommels).	Medium \	Wedge. MTMD-13.	£103	Large Wedge.	MTMD-14.	£103	
(. ce.s).	Adjustabl	e Wedge. MTMD-4.	2. £199				
	•••••	· · · · · · · · · · · · · · · · · · ·		• • • • • • • • • • • • • • • • • • • •	*******************		

 $Please\ visit\ steal th products.com\ for\ alternative\ lateral,\ pelvic\ \&\ lower\ extremity\ solutions \\ \ \ \ ^*STD = Standard\ option$ 

#### **NON-EXPANDABLE CONTROLS**

NE + Controls. With	Standard	
NE + Controls. 2 pou	rer option ready.	£125
	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	Attendant Control. Hand control mounted at rear.	£100
	Dual Controls. Hand control and secondary attendant control at rear.	£430

#### **EXPANDABLE CONTROLS**

Q-Logic 3e Controls. No power options.	£225
Q-Logic 3e Controls. 3 power option ready.	£300
Q-Logic 3e Controls. 5 power option ready.	£500
Q-Logic 3 EX Controls. No power options.	£275
Q-Logic 3 EX Controls. 3 power option ready.	£350
Q-Logic 3 EX Controls. 5 power option ready.	£550
Q-Logic 3 Enhanced Display. Includes 2 egg switches & flexible display mount.	£1074
SCIM Module Kit. Allows Q-Logic 3 EX joystick display to be used for speciality controls. Not available with 3e controls.	£316

iAccess OLED 4 Button Switch Module.	£300	Push Button iAccess	If iAccess is selected choose either
Mounted to opposite armrest unless specified. Supplied FOC when ilevel is selected.	2500	Toggle Lever iAccess	Push Button or Toggle leaver option.
•••••			

	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	Omit Hand Control. Often selected when an ED is used as master remote with special device.	-£100
	Attendant Control. Hand control mounted at rear.	£125
	Dual Controls. Hand control and secondary attendant control at rear.	£430

 $Please\ visit\ steal th products. com\ for\ alternative\ control\ options\ such\ as\ mini\ joysticks,\ head\ arrays\ \&\ switches.$ 

#### **HAND CONTROL MOUNTS**

Fixed.					Stan	ndard
Swing-away. Swings in	n & out with height, tension an	nd pivot adjustm	nent.			£75
Retract 4 Swing-awa	y. Full 180° Movement.					£150
Mounting Position.	Left	FOC	Right	Standard		
	Standard Carrot	STD	T-Bar	£35	Extended I-Handle	£5
Hand Control Joystick Handle.	Mushroom	£35	Medium Ball	£35	3" Goal Post	£50
	Chin Cup	£35	Soft Ball	£35	4" Goal Post	£50

#### **SPEED PROGRAM & LIGHTS PACKAGE**

4 Mph Program. Lights and indicators not included.	Standard
4 Mph Program with Lights and indicators.	£450
Lights & Indicator Surcharge. Required if no power options have been selected.	£260

#### **ACCESSORIES**

USB Mobile Device Charger. Please specify mounting position. i.e arm support, backrest, seat rail.	
Cup Holder. Only with TB3 flip-back arm supports.	
Personal Item Hooks. Not with back cane option.	
Mobile Phone Holder. Only with TB3 arm supports.	
Back Pack Holders. Not with back cane option.	
Clothes Guards. Only with TB3 arm supports.	
Glove Box.	
Hydration System.	
Oxygen Holder.	
Quick Release Transfer Bars.	
Stealth Tablet Holder.	
Push Handles. Not with back cane option.	
Accessory Bar.	
Back-up Camera.	
Quantum Back Pack.	
Additional XLR USB Charger Port.	
Magnetic to XLR Charger Adapter. Only with Q-Logic 3e.	
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.	
Wooden Trim Kit for Tray. Only with swing-away tray table.	

#### **NOTES & SPECIAL REQUESTS**

#### **PRICE**

Q6 EDGE 2.0 HD WITH TB3 SEATING



**BASE PRICE** 

£6,000

**COST OPTIONS** 

**TOTAL** 



#### **Quantum**®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk RETAIL UK - 27/03/24 V1.1













