



RETAIL UK

Q6 EDGE 2.0 HD WITH TB3 SEATING

DEALERS DETAILS		DELIVERY DETAILS		
Dealers Name		Dealers Address		
Order Date				
Address				
	Postcode	Postcode		
Phone	Email	Quantum Specialist		
PO No	Order Ref	Clients Weight		

BASE MODEL

13 Colour Options
Height Adj. Removable Arm Supports
Centre Mount Foot Platform
TB3 Seating
14" Flat Free Drive Tyres
2" x 6" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



£6,450

2" x 6" Flat Free Rear Castors ATX Suspension System Q-Logic 3e Control System 2 x 62 ah Batteries 4 Mph (6 Km/h) 4-pole Motors Max User Weight: 28 st 5lbs. (181.0 kg)

DRIVE WHEELS

3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	Standard
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5</i> ".	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5"</i> .	£320

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Deep Purple	FOC
Red Corvette	FOC
Pretty in Pink	FOC

Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
Custom Hydro Dip*	£600
·	

^{*} Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.









SEAT PACKAGES - SEAT WIDTH 20"-24"W Set width at: Set depth at:

STEALTH SEAT CUSHIONS

No Seat Cushion Required.	
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 226.7 Kg weight limit.	
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 181.4 Kg weight limit.	
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 204 Kg weight limit.	
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 181.4 Kg weight limit.	
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 226.7 Kg weight limit.	
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 204 Kg weight limit.	
Premiere P: Positioning, 4-way stretch, Coolcore cover. 226.7 Kg weight limit.	
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 340 Kg weight limit.	

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

Static Seat.				
TRU-Balance 3 HD Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.				
iLevel Powered Seat Lift & Tilt. 10" lift & 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options.				
Static Seat to Floor Height. From seat pan.	16″	17″	18"	
Powered Tilt Seat to Floor Height. <i>From seat pan</i> .	17.5″	18.5″	19.5″	
Powered iLevel Lift & Tilt Seat to Floor Height. From seat pan.	18″	19"	20″	

BACKREST SPECIFICATIONS

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard	
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.	FOC	

 $Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort\ 2 back cushion, and a set of wedge inserts.$

TB3 BACK SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions	Standar
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.	£50
Stealth Adapter Interface Plate SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2.	£358
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.	POA

TB3 BACK SUPPORT POSTIONING

TRU-Balance 3 Static Back. Angle can be preset manually.	
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports or powered recline. Not suitable for occupied transport.	£150
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£850

BACK CANE ONLY SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions					ort Dimensions Standard
Privacy Flap.	12.75"W. Closes gap	between back support and	l seat pan.		£50
	. ,	n, 4 way stretch, Coolcore	cover. Mounts to canes wit	h cane clamps.	POA
Back –		ljustable. 85° to 120° in 5			Standard
Cane Only Support Positioning.	Flip-forward Back Canes. Not suitable for occupied transport or with Endo mounts.				£200
	2" Endo Cane Mounts. 1" each side. Reduces back width by 2".			£40	
	4" Endo Cane	Mounts. 2" each side. Red	duces back width by 4″.		£40
Back Cane Height. — From seat pan.	16"H.	17″H.	18″H.	19"H.	20″H.
	21″H.	22″H.	23″H.	24″H.	25″H.

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Suppor	rt Width Package.		16"-20"W.	20"-24"W.
Back Support _ Width.	16″W.	17″W.	18″W.	19″W.
	20″W.	21″W.	22″W.	24″W.
Back Support	16″H.	17″H.	18″H.	19"H.
	20″H.	21″H.	22″H.	23″H.
Height. — From seat	24"H.	25″H.	26"H. Only available with power recline.	27"H. Only available with power recline.
pan.	28″H. Only availab	ole with power recline.		

19" minimum backrest height when powered recline is selected.

ARM SUPPORTS

Height Adjustable, Remo	vable, Heavy Duty.			Standard
HD Removable Height Package. <i>From seat pan</i> .	8″-12″.	FOC	10"-14".	Standard
TB3 Flip-back with Down	Posts. Adjustment range 8"-16"	from seat pan. Inclu	udes lateral in/out adjustment.	£450
	10" Standard	Standard	10" Waterfall.	FOC
	14" Standard	FOC	14"Waterfall.	FOC
Arm Support Pads.	17" Standard. TB3 only. Minimum seat depth 16".	£50	Falcon Gel Mounting Plates. Required for Height Adjustable HD arm supports.	£40
	10" Falcon Gel	£40		
	14" Falcon Gel	£40		

CENTRE MOUNTED LEG SUPPORTS

Base Mounted Flip-up F	oot Platform. Mounted to chassis. Will	not move with pov	vered lift or tilt.	FOC
Manually Adjustable Ce	entre Mount Foot Platform.			Standard
Power Elevating Articul	ating Centre Mount Foot Platform.	Uses 1 power optic	on.	£950
3	ating & Lower To Floor Centre Mou to the floor to aid standing transfers. Use			£1300
Lower Leg Extensions. From seat pan.	10″-16″.	Standard	13″-19″.	FOC
Footplates.	10"W x 8"D Split Footplates.	FOC	10"W x 11"D Split Footplates.	Standard
Calf Support.	Individual Calf Pads. 6"W x 6"H.	Standard (Calf Panel. 18"W x 8"H.	£42
cui support.	Reverse Dartex Calf Pad Cove	rs. £42	Reverse Dartex Calf Panel Cover.	£62
	4" Width Extension Kit. Not av	ailable with 2″ leng	th kit or 10″W x 6″D footplates.	£16
Footplate	2" Length Extension Kit. Not available with 4" width kit or 10"W x 6"D footplates.			
Accessories.	Footplate Connector.	£10	Outer Edge Supports.	£10
	Wheel Bumpers.			£10

 $Certain\ configurations\ may\ result\ in\ reduced\ ground\ clearance\ below\ footplates.\ Contact\ Quantum\ Technical\ for\ information.$

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

	70° Heavy Duty, Drop-in, S	Swing-away Leg S	Supports. <i>Sele</i>	ct lowers and footplat	es below.		£360
	Lower Leg Extensions. From seat pan.	8.5"-12"	FOC	13″-18″	Standard	16"-21"	FOC
70° HD	Footplate Type.	. Angle & Depth Adjustable. <i>Select size below.</i>					
70	Footplate Size.	6″W x 8″D	Standard	6"W x 11"D	FOC	8"W x 11"D	FOC
	Accessories.	Wheel Bump	ers				£10
	Heavy Duty, Manual Eleva	iting, Swing-away	/ Leg Support	ts.			£360
	Lower Leg Extensions.	11″-14″	FOC	14″-17″	Standard	12.5"-16.5"	FOC
	From seat pan.	15.5"-19.5"	FOC				
읖	Footplate Type. —	Flip-up Extru	ded. 8.5″W x 6′	″D.			Standard
ELEVATING HD	Tootplate Type.	Angle & Dep	th Adjustable	. Select size below.			£115
VAT	Footplate Size. —	6"W x 8"D					Standard
ä	Angle adj. only.	6"W x 11"D					FOC
	_	8"W x 11"D					FOC
	Accessories.	Wheel Bump	ers				£10
LIMB SUPPORT	Stealth Residual Limb Su Includes a 60-90° Swing-awa, hanger for mounting.		LEFT	£300	Limb Support	£300	RIGHT

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information. Adjustment ranges above are from seat pan to footplates. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. HMO475-17M / CP08CCFPM.	£230
UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	£230
UniLink 14" Comfort Plus. HMO475-17M/CP14CCFPM.	£230
UniLink 14" Adjustable Comfort Plus. HMO475-17M/ ACP150M.	£342
Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.	£92

 $Please\ visit\ steal th products. com\ for\ alternative\ head\ supports.$

STEALTH TRUNK SOLUTIONS

UniLink Thoracic _	Lateral Tho	racic Swi	ng-away Hardware	. £444	Additional 1.5" Link (each).	£54
Lateral Supports. Supplied as a pair.	3"H x 5"L	3" H x 5" L Curved Lateral Pad.		£84	Additional 2" Link (each).	£54
supplied as a pail.	4" H x 6" L	Curved L	ateral Pad.	£84	Additional 3"Link (each).	£54
	Medium	£143 /	Classic	STD*	Dynamic STD* Vinyl Face	FOC
4-Point Harness. —	Large	£143	Contoured	FOC	Structured FOC Zipper Face**	FOC
	Extra Larg	e £143		(?	
	Medium			£91	angle Side Release	STD*
Chest Strap.	Large			£91 (Velcro Release	£20
	Extra Larg	e		£91 (⟨	

*STD = Standard option **Classic Only

STEALTH PELVIC & THIGH SOLUTIONS

•						
UniLink Thigh		£185	UniLink Hip Guide	Long Removable.	£185	
		£185 Unilink Hip Guide Short Removable.			£185	RIGHT
Supports.	LEFT	£51 4x4 Pelvic Thigh Pad.			£51	
		£51	4x8 Pelvic	Thigh Pad.	£51	
• • •		£51	4x12 Pelvio	Thigh Pad.	£51	
		£163	Fixed Cane	e Mounted.	£163	
Knee Adductors.	LEFT	£179	Swing-away T	rack Mounted.	£170	RIGHT
Kilee Adductors.	ELI I	£38	3" Round	Knee Pad.	£38	NIGHT
		£38	4" Round	Knee Pad.	£38	
D-1::- D-1:-	Auto Bucl	kle Lap Belt, Push	Button Release.			Standard
Pelvic Belts.	Retractab	le Lap Belt, Push	Button Release.			£169
Stealth Positioning	Large	£84 <i>\</i>	Single Pull	Standard /	Push Button	Standard
2-Point Padded Pelvic Belt.	Extra Larg	Extra Large £84		FOC		
Pelvic Beit.		(Dual Pull	FOC		
Stealth Positioning	Medium	•	£143)	Push Button		Standard
4-Point Linear Padded Pelvic Belt,	Large	Large				
Single Pull.			\\			
Medial Supports – (Pommels)	Fixed Flip	-down Hardware	. MTHW-660. £189	Small Wedge. <i>M</i>	ITMD-12M.	£108
	Medium \	Wedge. MTMD-13N	1. £108	Large Wedge. <i>N</i>	1TMD-14M.	£108
	Adjustabl	e Wedge. MTMD-4	12M. £209			

EXPANDABLE CONTROLS

Q-Logic 3e Controls. No power options.	Standard
Q-Logic 3e Controls. 3 power option ready.	£350
Q-Logic 3e Controls. 5 power option ready.	£500
Q-Logic 3 EX Controls. <i>No power options</i> .	£350
Q-Logic 3 EX Controls. 3 power option ready.	£375
Q-Logic 3 EX Controls. 5 power option ready.	£550
Q-Logic 3 Enhanced Display. Includes 2 egg switches & flexible display mount. Not available w	ith 3e controls. £1074
SCIM Module Kit. Allows Q-Logic 3 EX joystick display to be used for speciality controls. Not available to the control of the	able with 3e controls. £316
iAccess OLED 4 Button Switch Module. Mounted to opposite armrest unless specified. Supplied FOC when ilevel is selected. Supplied FOC when ilevel is selected. Fush Button iAccess Description of the selected of the sele	Death Death are an Tanada la comment are

_	Hand Control. Select position in Hand Control Mounts below.	Standard
Control	Omit Hand Control. Often selected when an ED is used as master remote with special device.	-£100
Method.	Attendant Control. Hand control mounted at rear.	£125
	Dual Controls. Hand control and secondary attendant control at rear.	£430

Please visit stealthproducts.com for alternative control options such as mini joysticks, head arrays & switches.

HAND CONTROL MOUNTS

Fixed.					Star	ndard
Swing-away.						£75
Advanced Swing-awa	ay. Swings in & out with heigh	t, tension and p	vivot adjustment.			£100
Mounting Position.	Left	FOC	Right	Standard		
	Standard Carrot	STD	T-Bar	£35	Extended I-Handle	£35
Hand Control Joystick Handle.	Mushroom	£35	Medium Ball	£35	3" Goal Post	£50
	Chin Cup	£35	Soft Ball	£35	4" Goal Post	£50

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included.	Standard
4 Mph Program with Lights and indicators.	£450
Lights & Indicator Surcharge. Required if no power options have been selected.	£260

ACCESSORIES

USB Mobile Device Charger. Please specify mounting position. i.e arm support, backrest, seat rail.	1
Cup Holder. Only with TB3 flip-back arm supports.	
Personal Item Hooks (each). Not with back cane option.	
Mobile Phone Holder. Only with TB3 arm supports.	
Back Pack Holders. Not with back cane option.	
Clothes Guards. Only with TB3 arm supports.	1

ACCESSORIES CONTINUED

Glove Box.	£30
Hydration System.	£125
Oxygen Holder.	£50
Quick Release Transfer Bars.	£125
Stealth Tablet Holder.	£342
Push Handles. Not with back cane option.	£50
Accessory Bar.	£50
Back-up Camera.	£300
Quantum Back Pack.	£110
Additional XLR USB Charger Port.	£17
Magnetic to XLR Charger Adapter. Only with Q-Logic 3e.	£49
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.	£379

NOTES & SPECIAL REQUESTS

PRICE

Q6 EDGE 2.0 HD WITH TB3 SEATING



BASE PRICE

£6,450

COST OPTIONS

TOTAL



Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk

RETAIL UK - 01/04/25 V1.1







