



#### **RETAIL UK**

# R-TRAK WITH TB3 SEATING

DEALERS DETAILS	5	DELIVERY DETAILS	
Dealers Name		Dealers Address	
Order Date			
Address			
	Postcode	Postcode	
Phone	Email	Quantum Specialist	
PO No	Order Ref	① Clients Weight	

# **BASE MODEL**

14 Colour Options
Height Adjustable Removable Armrests
Centre Mount Foot Platform
TB3 Seating
14" Flat Free Drive Tyres
2" x 9" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



# £6,495

SRS Suspension System
NE+ Control System
2 x 70 ah Batteries
4 Mph (6 Km/h) Motors
Max User Weight:
21 st 6lbs. (136 kg)

#### **DRIVE WHEELS**

3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	Standard
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5</i> ".	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5"</i> .	£320

# **COLOURS**

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Blue Jean	FOC
Deep Purple	FOC
Red Corvette	FOC
Pretty in Pink	FOC

Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
Raspberry Beret*	FOC
Custom Hydro Dip*	£600

<sup>\*</sup> Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.









# SEAT PACKAGES - SEAT WIDTH SEAT PACKAGES - SEAT DEPTH 12"-16"W. 12"-16"D. 14"-16"W. 14"-16"D. 16"-20"W. 16"-20"D. 20"-22"W. 20"-22"D. Set width at: Set depth at:

Minimum seat size of 14"W x 14"D required for manually adjustable and powered centre mount foot platform when 10" seat lift is selected.

#### **STEALTH SEAT CUSHIONS**

No Seat Cushion Required	FOC
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	Standard
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	£75
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	£100
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£115
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£115
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£135
Premiere P: Positioning, 4-way stretch, Coolcore cover. 158.7 Kg weight limit.	£135
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight lin	nit. £190
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£190

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

#### **SEAT POSITIONING**

Static Seat.				
TRU-Balance 3 Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.				
10" Powered Seat Lift & Tilt. 10" lift & 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options.				
Static Seat to Floor Height. From seat pan.	15″	16″	17"	
Powered Tilt Seat to Floor Height. From seat pan.	17.75″	18.75″	19.75″	
Powered Lift & Tilt Seat to Floor Height. From seat pan.		18.75″	19.75″	

#### **BACKREST SPECIFICATIONS**

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports.  Move directly to 'Back Cane Only Support Options' if selected.	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

#### **TB3 BACK SUPPORT**

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts.  Select size in Back Support Dimensions	Standard
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.	£50
Stealth Adapter Interface Plate. SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2.	£341
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.	POA

Enter ADI Q-Back 2 part number here for quotation.

#### **TB3 BACK SUPPORT POSTIONING**

TRU-Balance 3 Static Back. Angle can be preset manually.	Standard
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports, powered recline.	£150
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£600

# **BACK CANE ONLY SUPPORT**

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select Size in Back Support Dimensions.					
Privacy Flap	Privacy Flap. 12.75"W. Closes gap between back support and seat pan.				
ADI Back Su	pport. Skin protection, 4 wo	ay stretch, Coolcore cover. Mounts to canes with cane clamps.	POA		
Enter ADI Back	Support part number h	nere for quotation			
Back -	Tool Angle Adjusta	ble. 85° to 120° in 5° increments.	Standard		
Cane Only	Flip-forward Back C	Canes. Not suitable for occupied transport or with Endo mounts.	£200		
Support  Positioning	2" Endo Cane Mour	nts. 1" each side. Reduces back width by 2". Minimum seat width 12".	£40		
i ositioriirig	4" Endo Cane Mour	nts. 2" each side. Reduces back width by 4". Minimum seat width 14".	£40		
Back Cane	16″H.	17"H. 20"	H.		
Height.  From seat pan.	21″H.	24"H. 25"	H.		

#### **BACK SUPPORT DIMENSIONS**

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if omit back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Support Width Package. –		12"-14"W.	14"-16"W.	16"-20"W.
		18"-22"W.	20"-24"W.	
Back <u> </u>	12″W.	14″W.	16″W.	17″W.
	18″W.	19″W.	20″W.	21″W.
	22″W.	24"W.		
Back Support Height. — From seat pan	14"H. <i>12"W back only</i> .	15"H. <i>12"W back only</i> .	16″H.	17″H.
	18"H.	19″H.	20″H.	21″H.
	22″H.	23″H.	24″H.	25"H. Not available with 24"W back.
	26"H. Not available with 24"W back.	27"H. Not available with 24"W back.	28"H. Not available with 24"W back.	29"H. Not available with 24"W back.

19" minimum backrest height when powered recline is selected.

#### **ARM SUPPORTS**

TB Flex Removable, Quick Release. Adjustment range 9" to 14" from seat pan. Minimum seat depth 15".					Standard
Paediatric Single Post Dr	rop-in Removable. <i>Adjustm</i>	ent range 7.75″- 9.75″ fro	m seat pan. 10″ pads only		£100
Single Post Drop-in Rem	ovable. <i>Adjustment range 11</i>	"-17" from seat pan. Min	imum seat depth 14".		£100
2-Post Flip-up Removab	le. Adjustment range 9" to 13"	from seat pan. Minimum	n seat depth 16".		£150
Height Adjustable, Remo	ovable, Heavy Duty.				£220
HD Removable Height Pack	kage. From seat pan.	8″-12″.	FOC	10"-14".	Standard
TB3 Flip-back. Adjustment	t range 8″-16″ from seat pan. lı	ncludes lateral in/out adj	ustment.	• • • • • • • • • • • • • • • • • • • •	£350
Down Posts for TB3 Flip-	back. Only with TB3 Flip-back	k arm supports. Minimun	n seat/back width 16″.		£100
	10" Standard	Standard	10" Waterfall. Not w	vith Std flip-up or TB Flex	x. FOC
	14" Standard	FOC	14" Waterfall. Not w	vith Std flip-up or TB Flex	x. FOC
Arm Support Pads.	17" Standard. TB3 on seat de	ly. Minimum epth 16". £50	Falcon Gel Mounting Plates. Required for		
	10" Falcon Gel	£40	2-post, Single Post & I	Paediatric arm supports	
	14" Falcon Gel	£40			

CENITDE	MOUNTED	LEG SUPPORTS
CENTRE	MOUNIED	LEG SUPPUNIS

Manually Adjustable Ce	entre Mount Foot Platform. <i>Minimum seat width 14</i>				
Paediatric Adjustable C	entre Mount Foot Platform. 12"-14" seat widths on	y. FOC			
Power Elevating Articul	ating Centre Mount Foot Platform. Minimum sea	width 14". Uses 1 power option. £700			
9	ating & Lower To Floor Centre Mount Foot Platf anding transfers. Uses 2 power options.	orm. Minimum seat width 14". £1112			
Lower Leg Extensions. From seat pan.	8"-12". Paediatric FOC 10"-16". Man centre mount only.				
Footplates.	10"W x 6"D Split Footplates. <i>Paediatric centi</i>	e mount only. FOC			
	10"W x 8"D Split Footplates. FOC	10"W x 11"D Split Footplates. Standard			
Calf Support.	Individual Calf Pads. 6"W x 6"H. Standard	Calf Panel. 18"W x 8"H. £42			
Can support.	Reverse Dartex Calf Pad Covers. £42	Reverse Dartex Calf Panel Cover. £62			
	4" Width Extension Kit. Not available with 2"	ength kit or 10"W x 6"D footplates. £16			
Footplate	2" Length Extension Kit. Not available with 4" width kit or 10"W x 6"D footplates.				
Accessories.	Footplate Connector. £10	Outer Edge Supports. £10			
***************************************	Wheel Bumpers. £10	Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.			

#### INDIVIDUALLY MOUNTED LEG SUPPORTS

70° Swing-Away Leg Supports. Flip-up footplates. Adj. range 12" to 15". Minimum seat width 15".	FOC
90° Paediatric Swing-Away Leg Supports. 4"W x 6"D angle & depth Adj. fooplates. Adjustment range 7" to 11".	£110
Manual Elevating Swing-Away Leg Supports. Flip-up footplates. Adj. range 15" to 20". Min. seat width 15".	£130
Power Elevating Swing-Away Leg Supports. Flip-up f/plates. Adj. range 14.5" to 19.5". Min. seat width 16". Uses 2 power options.	£650

# **INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS**

	60° to 90° Tool Adjustable	Swing-Away Leg Su	ipports. <i>Select</i>	lowers and footplates	s below. Minimun	n seat width 15″.	£110
	Lower Leg Extensions. From seat pan.	11"-13"	FOC	13.5″-16.5″	Standard	15.5″-19.5″	FOC
°06 O1	Footplate Type.	Flip-up Extrudeo 8.5″W x 6″D.	d. STD	Angle & Depth Adjustable. <i>Sel</i>		Multi-axis. Select size below.	£263
60° T	Footplate Size. <i>Angle</i>	4"W x 6"D	FOC	5″W x 6″D	FOC	5″W x 8″D	FOC
	adj. & Multi-axis only.	6"W x 8"D	Standard	6"W x 11"D	FOC	8"W x 11"D	FOC
	Accessories.	Wheel Bumpers					£10
	Power Elevating Articulat	ing Swing-Away Leg	Supports. Inc	. calf pads. Adj.range 15″	to 20″. Min. seat wid	lth 15". Uses 2 power option:	£1250
LATING	Lower Leg Extensions. From seat pan.	11"-13"	FOC	14.5″-18″	Standard	17.5″-21″	FOC
TICU	Footplate Type.	Angle & Depth /	Adjustable. <i>Se</i>	elect size below.			Standard
ING AI	Footplate Size. —	4"W x 6"D	FOC	5″W x 6″D	FOC	5″W x 8″D	FOC
EVATIN	Footplate Size. —	6"W x 8"D	Standard	6"W x 11"D	FOC	8"W x 11"D	FOC
OWER EL	Accessories.	Small Calf Pads		Standard	Wheel Bun	npers	£10
POV		Large Calf Pads		FOC	Gel Padde	d Knee Adductors	£60

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

Adjustment ranges above are from seat pan to footplates. Individual legrests are supplied with heel loops.

Stealth Residual Limb Support (each). *Includes a 60-90° Swing-away leg support hanger for mounting.* 

LEFT

£300

Limb Support

£300

RIGHT

# **STEALTH HEAD SUPPORTS**

UniLink 8" Comfort Plus. HMO475-17M/CP08CCFPM.	£219
UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	£219
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	£219
UniLink 14" Adjustable Comfort Plus. HMO475-17M/ACP150M.	£327
Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.	£88

#### Please visit stealthproducts.com for alternative head supports.

# **STEALTH TRUNK SOLUTIONS**

UniLink Thoracic Lateral Supports. Supplied as a pair. —	Lateral Thoracic Swing	-away Hardware	e. £425	Additional 1.5" Link (each).	£52
	3" H x 5" L Curved Lat	eral Pad.	£72	Additional 2" Link (each).	£52
	4" H x 6" L Curved Lat	eral Pad.	£72	Additional 3" Link (each).	£52
	Extra Small £137 )	Classic	STD* /	Dynamic STD* $\rangle$ Vinyl Face	FOC
_	Small £137	Contoured	FOC	Structured FOC Zipper Face	** FOC
4-Point Harness.	Medium £137		(	\	
	Large £137				
	Extra Large £137				
_	Extra Small £87	Small	£87 /	Side Release	tandard
Chest Strap.	Medium £87	Large	£87	Velcro Release	£19
•	Extra Large £87				

#### \*STD = Standard option \*\*Classic Only

# **STEALTH PELVIC & THIGH SOLUTIONS**

		£176	Uni	Link Hip Gu	ide Long Removable.	£176		
UniLink Thigh Supports.		£176	Uni	ilink Hip Gui	de Short Removable.	£176		
	LEFT	£48		4x4 Pel	vic Thigh Pad.	£48	RIGHT	
		£48		4x8 Pel	vic Thigh Pad.	£48		
		£48	£48 4x12 Pelvic Thigh Pad.					
		£156	Fixed Cane Mounted.			£156		
Knee Adductors.	LEFT	£170	£170 Swing-Away Track Mounted.			£170	RIGHT	
Kilee Adductors.	LEFT	£36		3" Rou	nd Knee Pad.	£36	KIGITI	
•		£36		4" Rou	nd Knee Pad.	£36		
	Auto Bucl	kle Lap Belt, P	ush Butto	on Release.			Standard	
Pelvic Belts.	Retractab	Retractable Lap Belt, Push Button Release.						
	Extra Sma	all £7	′8 <i>}</i>	Single Pul	Standard	Side Release	Standard	
Positioning	Small	£7	8	Rear Pull	FOC (	Push Button	FOC	
2-Point Padded Pelvic Belt.	Medium	£7	8	Dual Pull	FOC	)		
reivic beit.	Large	£7	<u>'8</u> \					
	Extra Larg	ge £7	'8					
Stealth Positioning	Extra Sma	all £120	Small	£120	Push Button		Standard	
4-Point Linear Padded Pelvic Belt,	Medium	£120	Large	£120	Side Release		£20	
Single Pull.					(			
M. III.G.	Fixed Flip	Fixed Flip-down Hardware. MTHW-660.					£180	
Medial Supports (Pommels).	Small Wed	dge. MTMD-12		£103 Medium Wedge. <i>N</i>		ge. <i>MTMD-13</i> .	£103	
	Large We	ge Wedge. MTMD-14. £103			Adjustable We	edge. MTMD-42.	£199	

NE + Controls. With r	no power options.				9	Standar
NE + Controls. 2 pow	er option ready.					£12
	Hand Control. Sel	ect position in Hand	l Control Mounts below	/.	9	Standar
Control Method.	Attendant Contro	Attendant Control. Hand control mounted at rear.				
Dual Controls. Hand control and secondary attendant control at rear.						
XPANDABLE CO	NTROLS					
Logic 3e and 3 EX hand contr	ols are supplied with built-in I	Bluetooth. Q-Logic 3 E	Enhanced Display is supp	lied with built-in B	luetooth and Infrared.	
Q-Logic 3e Controls	s. No power options.					£22
Q-Logic 3e Controls	5. 2 power option ready.					£30
Q-Logic 3e Control:	5. 5 power option ready.					£50
Q-Logic 3 EX Contro	ols. No power options.					£2
Q-Logic 3 EX Contro	ols. 2 power option ready.					£3.
Q-Logic 3 EX Contro	ols. 5 power option ready.					£5.
Q-Logic 3 Enhanced	d Display. <i>Includes 2 egg s</i>	witches & flexible di	splay mount.			£10
IR Blaster. Infrared me	odule for Q-Logic 3 EX hand	d control.				£
SCIM Module Kit. A	llows Q-Logic 3 EX joystick o	display to be used fo	r speciality controls. No	ot available with 3	Be controls.	£3
Control	Hand Control. <i>Select pos.</i> Omit Hand Control. <i>Ofte</i> Attendant Control. <i>Han</i> e	en selected when ED	) is used as master rem	ote with special d		-£1
Control Method.	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con	en selected when EE d control mounted a	is used as master remo at rear. attendant control at rec	ar.		-£1 £1 £4
Control Method.	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con	en selected when EE d control mounted a	is used as master remo at rear. attendant control at rec	ar.	evice.  alternative control options joysticks, head arrays	-£1 £1 £4 such as n s & switch
Control Method.  AND CONTROL Fixed.	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con	en selected when EL d control mounted o trol and secondary o	D is used as master remo at rear. attendant control at re Please visit stealtl	ar.	evice.  alternative control options joysticks, head arrays	-£1 £1, £4 such as n s & switch
AND CONTROL  Fixed.  Swing-away. Swings	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con	en selected when EL d control mounted o trol and secondary o	D is used as master remo at rear. attendant control at re Please visit stealtl	ar.	evice.  alternative control options joysticks, head arrays	-£1 £1 £4 ssuch as n s & switch
AND CONTROL  Fixed.  Swing-away. Swings	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con MOUNTS	en selected when EL d control mounted o trol and secondary o	D is used as master remo at rear. attendant control at re Please visit stealtl	ar.	evice.  alternative control options joysticks, head arrays	
AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-away.  Mounting Position.	Omit Hand Control. Often Attendant Control. Hand Dual Controls. Hand con MOUNTS  in & out with height, tension ay. Full 180° Movement.	en selected when EL d control mounted o trol and secondary o n and pivot adjustm	D is used as master remote at rear. attendant control at rec Please visit stealti	ar. hproducts.com for	evice.  alternative control options joysticks, head arrays	-£1 £1 £4 such as n s & switch Standa £
Control Method.  AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-aw. Mounting Position.  Hand Control	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con MOUNTS in & out with height, tension ay. Full 180° Movement. Left	en selected when EL d control mounted o trol and secondary o n and pivot adjustm	Dis used as master remote trear.  attendant control at reconstruction please visit stealther.  Please visit stealther.  Right	ar. hproducts.com for Standard	evice.  alternative control options joysticks, head arrays	-£1 £1 £4 such as n s & switch Standa £
AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-away.  Mounting Position.	Omit Hand Control. Often Attendant Control. Hand Dual Controls. Hand con  MOUNTS  in & out with height, tension ay. Full 180° Movement. Left  Standard Carrot Mushroom	en selected when EC d control mounted of trol and secondary of n and pivot adjustm FOC Standard	Pis used as master remote rear.  at rear.  Please visit stealt!  Please T-Bar  Medium Ball	ar. hproducts.com for  Standard £35 £35	alternative control options joysticks, head arrays  Extended I-Han	-£ £ such as \$ & swite Stand
AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-aw.  Mounting Position.  Hand Control  Joystick Handle.	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con MOUNTS in & out with height, tension ay. Full 180° Movement. Left	n and pivot adjustm  FOC  Standard £35	Pis used as master remote trear.  at rear.  Please visit stealt!  Please T-Bar	ar. hproducts.com for Standard £35	alternative control options joysticks, head arrays	-£1 £1 £4 such as rs & switce Standa £ £1 dle £
AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-aw.  Mounting Position.  Hand Control Joystick Handle.	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con  MOUNTS  in & out with height, tensio ay. Full 180° Movement.  Left  Standard Carrot Mushroom Chin Cup	n and pivot adjustr  FOC  Standard £35 £35	Pis used as master remote rear.  at rear.  Please visit stealt!  Please T-Bar  Medium Ball	ar. hproducts.com for  Standard £35 £35	alternative control options joysticks, head arrays  Extended I-Hans 3" Goal Post 4" Goal Post	-£1 £1 £4 such as rs & switc Standa £1 dle £
Control Method.  AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-aw.  Mounting Position.  Hand Control Joystick Handle.  PEED PROGRAN  4 Mph Program. Lig.	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con  MOUNTS  in & out with height, tensio ay. Full 180° Movement. Left  Standard Carrot Mushroom Chin Cup	n and pivot adjustm  FOC  Standard £35 £35  £44  £44  £45	Pis used as master remote rear.  at rear.  Please visit stealt!  Please T-Bar  Medium Ball	ar. hproducts.com for  Standard £35 £35	alternative control options joysticks, head arrays  Extended I-Hans 3" Goal Post 4" Goal Post	-£1 £4 £4 such as ns & switch Standa £ £1 £1
AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-aw.  Mounting Position.  Hand Control Joystick Handle.  PEED PROGRAN  4 Mph Program. Lig.  4 Mph Program wit	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con- MOUNTS  in & out with height, tensio ay. Full 180° Movement.  Left  Standard Carrot  Mushroom  Chin Cup  1 & LIGHTS PACK	n and pivot adjustm  FOC  Standard £35 £35  £435	Pis used as master remote rear.  at rear.  Please visit stealt!  Please T-Bar  Medium Ball	ar. hproducts.com for  Standard £35 £35	alternative control options joysticks, head arrays  Extended I-Hans 3" Goal Post 4" Goal Post	-£1 £4 £4 such as r \$ & switch Standa £ £1  dle £ £
AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-aw.  Mounting Position.  Hand Control Joystick Handle.  PEED PROGRAN  4 Mph Program Lig.  4 Mph Program wit  6 Mph Program wit	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con  MOUNTS  in & out with height, tensio ay. Full 180° Movement.  Left  Standard Carrot  Mushroom  Chin Cup  1 & LIGHTS PACK  hts and indicators not inclue th Lights and indicators.	n and pivot adjustm  FOC  Standard £35 £35  KAGE	Pis used as master remote trear.  attendant control at reconstruction of the piece	ar. hproducts.com for  Standard £35 £35	alternative control options joysticks, head arrays  Extended I-Hans 3" Goal Post 4" Goal Post	-£1 £4 such as rs & switch Standa £ £1  Standa £ £1  Standa £ £1  dle £ £ £ £ £ £ 4 £4
AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-aw.  Mounting Position.  Hand Control Joystick Handle.  PEED PROGRAN  4 Mph Program Lig.  4 Mph Program wit  6 Mph Program wit	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con- MOUNTS  in & out with height, tensio ay. Full 180° Movement.  Left  Standard Carrot  Mushroom  Chin Cup  1 & LIGHTS PACK  hts and indicators not include the Lights and indicators. the Lights and indicators. urcharge. Required if no page	n and pivot adjustm  FOC  Standard £35 £35  KAGE	Pis used as master remote trear.  attendant control at reconstruction of the piece	ar. hproducts.com for  Standard £35 £35	alternative control options joysticks, head arrays  Extended I-Han 3" Goal Post  4" Goal Post	-£1 £4 £4 ssuch as rs & switch Standa £ £1  Standa £ £1  dle £ £ £ Standa
AND CONTROL  Fixed.  Swing-away. Swings  Retract 4 Swing-aw.  Mounting Position.  Hand Control Joystick Handle.  PEED PROGRAN  4 Mph Program . Lig.  4 Mph Program wit  6 Mph Program wit  Lights & Indicator S	Omit Hand Control. Ofte Attendant Control. Hand Dual Controls. Hand con  MOUNTS  in & out with height, tensio ay. Full 180° Movement.  Left  Standard Carrot  Mushroom  Chin Cup  1 & LIGHTS PACK  hts and indicators not inclu th Lights and indicators. th Lights and indicators. urcharge. Required if no page.	n and pivot adjustm  FOC  Standard £35 £35  KAGE	Pis used as master remote trear.  attendant control at reconstruction of the piece	ar. hproducts.com for  Standard £35 £35	alternative control options joysticks, head arrays  Extended I-Han 3" Goal Post  4" Goal Post	-£1 £1 £4 such as r s & switc  Standa £ £1  dle £ £  Standa £ £ £  4 £2

LED Front Castor and Rear Fender Lights. *Includes single switch button mounted to side rail*. *Not road legal*.

Omit LED Front Castor and Rear Fender Lights.

Standard FOC

# **ACCESSORIES**

USB Mobile Device Charger. Please specify mounting position. i.e arm support, backrest, seat rail. Not available with VR2 or R-Net.	£11
Cup Holder. Only with TB3 flip-back arm supports.	£
Personal Item Hooks. <i>Not with back cane option</i> .	£
Mobile Phone Holder. <i>Only with TB3 arm supports</i> .	£
Back Pack Holders. Not with back cane option.	£
Clothes Guards. Only with TB3 arm supports.	£10
Glove Box.	£
Hydration System.	£1.
Oxygen Holder.	£
Quick Release Transfer Bars.	£1:
Stealth Tablet Holder.	£3
Push Handles. Not with back cane option.	£
Accessory Bar.	£
Back-up Camera.	£3
Quantum Back Pack.	£1
Additional XLR USB Charger Port.	£
Magnetic to XLR Charger Adapter. <i>Only with Q-Logic 3e</i> .	£
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.	£3
Wooden Trim Kit for Tray. Only with swing-away tray table.	£1

# **NOTES & SPECIAL REQUESTS**

#### **PRICE**

R-TRAK WITH TB3 SEATING



**BASE PRICE** 

£6,495

**COST OPTIONS** 

**TOTAL** 



#### Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk

**RETAIL UK - 14/04/23 V1** 













