



Postcode

RETAIL UK

R-TRAK WITH TB3 SEATING

DEALERS DETAILS

Dealers Name

Order Date

Address

	Postcode
Phone	Email
PO No	Order Ref

DELIVERY DETAILS

Dealers Address

Quantum Specialist

⁽ⁱ⁾ Clients Weight

BASE MODEL £6,495 14 Colour Options SRS Suspension System Height Adjustable Removable Armrests SRS Suspension System Centre Mount Foot Platform 2 x 70 ah Batteries TB3 Seating 4 Mph (6 Km/h) Motors 14" Flat Free Drive Tyres Max User Weight: 2" x 9" Flat Free Front Castors 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	Standard
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. Increases overall base width by 1.5".	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. Increases overall base width by 1.5".	£320

COLOURS

Back in Black	Standard	Lemon Crush*	FOC
Green Machine	FOC	Night Train*	FOC
Midnight Blue	FOC	Evolution Orange*	FOC
Electric Blue	FOC	Military Green*	FOC
Blue Jean	FOC	Grey Street*	FOC
Deep Purple	FOC	Raspberry Beret*	FOC
Red Corvette	FOC	Custom Hydro Dip*	£600
Pretty in Pink	FOC	* Extended lead-time.	

Please download our free PQ-365 app to view colours and other product features in more detail.





Download on the App Store

Google Play

SEAT PACKAGES - SEAT WIDTH

12″-16″W.	12″-16″D.
14″-16″W.	14″-16″D.
16″-20″W.	16″-20″D.
20″-22″W.	20″-22″D.
Set width at:	Set depth at:

Minimum seat size of 14"W x 14"D required for manually adjustable and powered centre mount foot platform when 10" seat lift is selected.

SEAT PACKAGES - SEAT DEPTH

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	Standard
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	£75
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	£100
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£115
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£115
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£135
Premiere P: Positioning, 4-way stretch, Coolcore cover. 158.7 Kg weight limit.	£135
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight lime	<i>it.</i> £190
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£190
Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size	e availability.

SEAT POSITIONING

Static Seat.			
TRU-Balance 3 Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.			
10" Powered Seat Lift & Tilt. 10" lift & 50° tilt. Up to 3.5 Mph drive spe	eed while elevated. Uses 2 pov	ver options.	£2170
Static Seat to Floor Height. From seat pan.	15″	16″	17″
Powered Tilt Seat to Floor Height. From seat pan.	17.75″	18.75″	19.75″
Powered Lift & Tilt Seat to Floor Height. <i>From seat pan.</i>		18.75″	19.75″

BACKREST SPECIFICATIONS

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.	FOC

Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort 2 back cushion, and a set of wedge inserts.

TB3 BACK SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions	Standard
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.	£50
Stealth Adapter Interface Plate. SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2	£341
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.	POA
Enter ADI Q-Back 2 part number here for quotation.	

2

TB3 BACK SUPPORT POSTIONING	
TRU-Balance 3 Static Back. Angle can be preset manually.	Standard
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports, powered recline.	£150
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£600

BACK CANE ONLY SUPPORT

Active Conto	our Back Support with TRU	J-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions.	Standard
Privacy Flap.	12.75"W. Closes gap between	back support and seat pan.	£50
ADI Back Su	oport. Skin protection, 4 way	stretch, Coolcore cover. Mounts to canes with cane clamps.	POA
Enter ADI Back	Support part number he	re for quotation	
Back Tool Angle Adjustable. 85° to 120° in 5° increments.			Standard
Cane Only	nes. Not suitable for occupied transport or with Endo mounts.	£200	
Support Positioning	2" Endo Cane Mounts. 1" each side. Reduces back width by 2". Minimum seat width 12".		
. contorning.	4" Endo Cane Mounts. 2" each side. Reduces back width by 4". Minimum seat width 14".		
Back Cane	16″H.	17″H. 20′	Ή.
Height From seat pan.	21″H.	24"H. 25'	′H.

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if omit back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Support Width Package. —		12″-14″W.	14″-16″W.	16″-20″W.
	ort matiri ackage.	18"-22"W.	20"-24"W.	
Back12″W.	12″W.	14″W.	16″W.	17″W.
Support	18″W.	19"W.	20″W.	21″W.
Width. –	22″W.	24″W.		
Back	14"H. 12"W back only.	15"H. 12"W back only.	16″H.	17″H.
Support	18″H.	19″H.	20″H.	21″H.
Height From seat pan	22″H.	23″H.	24″H.	25"H. Not available with 24"W back.
	26"H. Not available with 24"W back.	27"H. Not available with 24"W back.	28"H. Not available with 24"W back.	29"H. Not available with 24"W back.

ARM SUPPORTS

19" minimum backrest height when powered recline is selected.

TB Flex Removable, Quid	:k Release. <i>Adjustment range</i>	9" to 14" from seat pan.	Minimum seat depth 15".		Standard
Paediatric Single Post Dr	rop-in Removable. Adjustmo	ent range 7.75″- 9.75″ fro	om seat pan. 10″ pads only	1	£100
Single Post Drop-in Rem	ovable. Adjustment range 11	"-17" from seat pan. Min	imum seat depth 14".		£100
2-Post Flip-up Removab	le. Adjustment range 9" to 13"	from seat pan. Minimun	n seat depth 16″.		£150
Height Adjustable, Remo	ovable, Heavy Duty.				£220
HD Removable Height Pack	age. From seat pan.	8″-12″.	FOC	10"-14".	Standard
TB3 Flip-back. Adjustment	t range 8″-16″ from seat pan. In	ncludes lateral in/out adj	ustment.	••••••	£350
Down Posts for TB3 Flip-	back. Only with TB3 Flip-back	arm supports. Minimun	n seat/back width 16″.		£100
	10″ Standard	Standard	10" Waterfall. Not v	vith Std flip-up or TB Flex	. FOC
	14" Standard	FOC	14" Waterfall. Not v	vith Std flip-up or TB Flex	FOC
Arm Support Pads.	17" Standard. seat de	ly. Minimum pth 16". £50	Falcon Gel Mounting Plates. Required for		£40
	10" Falcon Gel	£40	2-post, Single Post & I	Paediatric arm supports	
	14" Falcon Gel	£40			

CENTRE MOUNTED LEG SUPPORTS

Manually Adjustable Ce	ntre Mount Foot Platform. Minimum se	eat width 14".			Standard
Paediatric Adjustable Ce	ntre Mount Foot Platform. 12"-14" sea	t widths only.			FOC
Power Elevating Articula	iting Centre Mount Foot Platform. Mi	nimum seat widt	h 14″. Uses 1 pow	ver option.	£700
Lower Leg Extensions. From seat pan.)"-16". Manually /	· ·	13"-19". Manually Adj. & powered elevating only	Standard
Footplates.	10"W x 6"D Split Footplates. <i>Paediatric centre mount only</i> .				
	10"W x 8"D Split Footplates.	FOC	10″W x 11	"D Split Footplates.	Standard
Calf Support. –	Individual Calf Pads. <u>6"W x 6"H</u> .	Standard	Calf Panel.	.18″W x 8″H.	£42
	Reverse Dartex Calf Pad Covers.	£42 (Reverse D	artex Calf Panel Cover.	£62
	4" Width Extension Kit. Not availd	ıble with 2″ lengt	h kit or 10″W x 6	"D footplates.	£16
Footplate	2" Length Extension Kit. Not available with 4" width kit or 10"W x 6"D footplates.				
Accessories.	Footplate Connector.	£10	Outer Edg	e Supports.	£10
	Wheel Bumpers.			ions may result in reduced grou Contact Quantum Technical for	

INDIVIDUALLY MOUNTED LEG SUPPORTS

70° Swing-Away Leg Supports. <i>Flip-up footplates. Adj. range 12" to 15". Minimum seat width 15".</i> 90° Paediatric Swing-Away Leg Supports. 4"W x 6"D angle & depth Adj. fooplates. Adjustment range 7" to 11".	
90° Paediatric Swing-Away Leg Supports. 4"W x 6"D angle & depth Adj. fooplates. Adjustment range 7" to 11".	£110
Manual Elevating Swing-Away Leg Supports. Flip-up footplates. Adj. range 15" to 20". Min. seat width 15".	£130
Power Elevating Swing-Away Leg Supports. Flip-up f/plates. Adj. range 14.5" to 19.5". Min. seat width 16". Uses 2 power options.	£650

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

	60° to 90° Tool Adjustable	e Swing-Away Leg S	upports. <u>Select</u>	lowers and footplates	below. Minimum	seat width 15".	£110
	Lower Leg Extensions. From seat pan.	11″-13″	FOC	13.5″-16.5″	Standard	15.5″-19.5″	FOC
06 O1	Footplate Type.	Flip-up Extrude 8.5″W x 6″D.	ed. STD	Angle & Depth Adjustable. <i>Sel</i> e		Multi-axis. <i>Select</i> size below.	£263
60°	Footplate Size. Angle	4″W x 6″D	FOC	5″W x 6″D	FOC	5″W x 8″D	FOC
	adj. & Multi-axis only.	6″W x 8″D	Standard	6″W x 11″D	FOC	8″W x 11″D	FOC
	Accessories.	Wheel Bumper	S				£10
	Power Elevating Articulat	ing Swing-Away Le	g Supports. Inc	. calf pads. Adj.range 15"	to 20". Min. seat wid	th 15". Uses 2 power options.	£1250
CULATING	Lower Leg Extensions. From seat pan.	11″-13″	FOC	14.5″-18″	Standard	17.5″-21″	FOC
ARTICUI	Footplate Type.	Angle & Depth	Adjustable. Se	elect size below.			Standarc
ING AI	Footplate Size. –	4″W x 6″D	FOC	5″W x 6″D	FOC	5″W x 8″D	FOC
EVAT		6″W x 8″D	Standard	6″W x 11″D	FOC	8″W x 11″D	FOC
POWER ELEVATING	Accessories.	Small Calf Pads	;	Standard	Wheel Bun	npers	£10
Pov		Large Calf Pads	;	FOC	Gel Paddeo	d Knee Adductors	£60
		5	,	5		tact Quantum Technical for ual legrests are supplied wit	
	tealth Residual Limb Support		LEFT	£300	Limb Support	£300	RIGHT

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. HMO475-17M / CP08CCFPM.	£219
UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	£219
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	£219
UniLink 14" Adjustable Comfort Plus. HMO475-17M/ ACP150M.	£327
Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.	£88

STEALTH TRUNK SOLUTIONS

UniLink Thoracic	Lateral Thoracic Swing	g-away Hardware	e. £425	Additional 1.5" Link (each).		
Lateral Supports.	3" H x 5" L Curved La	teral Pad.	£72	Additional 2" Link (each).		£52
Supplied as a pair.	4" H x 6" L Curved La	teral Pad.	£72	Additional 3" Link (ea	ch).	£52
	Extra Small £137)	Classic	STD*)	Dynamic STD*	Vinyl Face	FOC
	Small £137	Contoured	FOC	Structured FOC	Zipper Face**	FOC
4-Point Harness.	Medium £137		(2		
	Large £137					
	Extra Large £137					
	Extra Small £87	Small	£87)	Side Release	Star	ndard
Chest Strap.	Medium £87	Large	£87 (Velcro Release		£19
	Extra Large £87					

STEALTH PELVIC & THIGH SOLUTIONS

*STD = Standard option **Classic Only

Please visit stealthproducts.com for alternative head supports.

	_	£176	ι	JniLink Hip Guide	e Long Removable.	£176	
UniLink Thigh	_	£176	£176 Unilink Hip Guide Short Removable.			£176	
Supports.	LEFT	£48		4x4 Pelvic	Thigh Pad.	£48	RIGHT
	_	£48		4x8 Pelvic	Thigh Pad.	£48	
		£48		4x12 Pelvi	c Thigh Pad.	£48	
		£156		Fixed Can	e Mounted.	£156	
Knee Adductors.	LEFT	£170		Swing-Away 1	rack Mounted.	£170	RIGHT
		£36		3″ Round	Knee Pad.	£36	NOM
		£36		4″ Round	Knee Pad.	£36	
Pelvic Belts.	Auto Buck	le Lap Belt	:, Push Bu	itton Release.			Standard
	Retractabl	e Lap Belt,	Push Bu	tton Release.			£156
••••••	Extra Smal	II	£78 /	Single Pull	Standard	Side Release	Standard
Positioning	Small		£78 <	Rear Pull	FOC 👌	Push Button	FOC
2-Point Padded Pelvic Belt.	Medium		£78	Dual Pull	FOC		
r civic beit.	Large		£78				
•	Extra Larg	e	£78				
Stealth Positioning	Extra Sma	ll £120	Sma	Ⅱ £120 〉	Push Button		Standard
4-Point Linear Padded Pelvic Belt,	Medium	£120	Larg	e £120	Side Release		£20
Single Pull.				(-			
Medial Supports — (Pommels).	Fixed Flip-	down Har	dware. Mi	FHW-660.			£180
	Small Wed	ge. MTMD-	12.	£103 Medium Wedge. /		e. MTMD-13.	£103
	Large Wed	lge. MTMD-	14.	£103	Adjustable Wed	lge. MTMD-42.	£199

Please visit stealthproducts.com for alternative lateral, pelvic & lower extremity solutions.

NON-EXPANDABLE CONTROLS

NE + Controls. <i>With no power options</i> .		Standard
NE + Controls. 2 pow	er option ready.	£125
	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	Attendant Control. Hand control mounted at rear.	£100
	Dual Controls. Hand control and secondary attendant control at rear.	£430

EXPANDABLE CONTROLS

Q-Logic 3e and 3 EX ha	and controls are supplied with built-in Bluetooth. Q-Logic 3 E	nhanced Display is supplied with buil	It-in Bluetooth and Infrared.			
Q-Logic 3e (Controls. No power options.		£225			
Q-Logic 3e (Controls. 3 power option ready.		£300			
Q-Logic 3e (Controls. 5 power option ready.		£500			
Q-Logic 3 E>	Controls. <i>No power options</i> .		£275			
Q-Logic 3 E>	Controls. 3 power option ready.		£350			
Q-Logic 3 E>	Controls. 5 power option ready.		£550			
Q-Logic 3 Er	hanced Display. Includes 2 egg switches & flexible di	splay mount.	£1074			
IR Blaster. In	frared module for Q-Logic 3 EX hand control.		£50			
SCIM Modul	e Kit. Allows Q-Logic 3 EX joystick display to be used fo	r speciality controls. Not available	with 3e controls. £316			
•	Button Switch Module. £300	Push Button iAccess Toggle Lever iAccess	If iAccess is selected choose either Push Button or Toggle leaver option.			
	Hand Control. Select position in Hand Control	ol Mounts below.	Standard			
Control	Control Omit Hand Control. Often selected when ED is used as master remote with special device.					
Method.	Attendant Control. Hand control mounted of	at rear.	£125			

Dual Controls. Hand control and secondary attendant control at rear. Please visit stealthproducts.com for alternative control options such as mini

joysticks, head arrays & switches.

£430

HAND CONTROL MOUNTS

Fixed.					Star	ndard
Swing-away. Swings in	& out with height, tension	and pivot adjustm	ient.			£75
Retract 4 Swing-away	I. Full 180° Movement.					£150
Mounting Position.	Left	FOC	Right	Standard		
	Standard Carrot	Standard	T-Bar	£35	Extended I-Handle	£35
Hand Control Joystick Handle.	Mushroom	£35	Medium Ball	£35	3" Goal Post	£50
	Chin Cup	£35	Soft Ball	£35	4″ Goal Post	£50

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included.	Standard
4 Mph Program with Lights and indicators.	£450
5 Mph Program with Lights and indicators.	£450
ights & Indicator Surcharge. <i>Required if no power options have been selected</i> .	£260
2-Pole Motor Package.	Standard
4-Pole Motor Package.	£450
ED Front Castor and Rear Fender Lights. Includes single switch button mounted to side rail. Not road legal.	Standard
Omit LED Front Castor and Rear Fender Lights.	FOC

ACCESSORIES

USB Mobile Device Charger. Please specify mounting position. i.e arm support, backrest, seat rail. Not available with VR2 or R-Net.	£11
Cup Holder. Only with TB3 flip-back arm supports.	£2
Personal Item Hooks. Not with back cane option.	£1
Mobile Phone Holder. Only with TB3 arm supports.	£4
Back Pack Holders. Not with back cane option.	£3
Clothes Guards. Only with TB3 arm supports.	£10
Glove Box.	£3
Hydration System.	£12
Oxygen Holder.	£
Quick Release Transfer Bars.	£1.
Stealth Tablet Holder.	£3
Push Handles. Not with back cane option.	£
Accessory Bar.	£
Back-up Camera.	£3
Quantum Back Pack.	£1
Additional XLR USB Charger Port.	£
Magnetic to XLR Charger Adapter. Only with Q-Logic 3e.	£
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.	£3
Wooden Trim Kit for Tray. Only with swing-away tray table.	£1

NOTES & SPECIAL REQUESTS



7