



RETAIL UK

R-TRAK WITH TB3 SEATING

DEALERS DETAILS	5	DELIVERY DETAILS	
Dealers Name		Dealers Address	
Order Date			
Address			
	Postcode	Postcode	
Phone	Email	Quantum Specialist	
PO No	Order Ref	① Clients Weight	

BASE MODEL

14 Colour Options
Height Adj. Removable Arm Supports
Centre Mount Foot Platform
TB3 Seating
14" Flat Free Drive Tyres
2" x 9" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



£6,650

SRS Suspension System
QLNES Control System
2 x 70 ah Batteries
4 Mph (6 Km/h) Motors
Max User Weight:
21 st 6lbs. (136 kg)

DRIVE WHEELS

3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	Standard
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC
4" x 14" Pneumatic Black Tyre, Knobby, Extended Traction. Increases overall base width by 1.5".	£220
4" x 14" Flat Free Black Tyre, Knobby, Extended Traction. <i>Increases overall base width by 1.5"</i> .	£320

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Blue Jean	FOC
Deep Purple	FOC
Red Corvette	FOC
Pretty in Pink	FOC

Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
Raspberry Beret*	FOC
Custom Hydro Dip*	£600

^{*} Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.









SEAT PACKAGES - SEAT WIDTH SEAT PACKAGES - SEAT DEPTH 12"-15"W. 12"-15"D. 16"-19"W. 16"-19"D. 20"-22"W. 20"-22"D. Set width at: Set depth at:

Minimum seat size of 14"W x 14"D required for manually adjustable and powered centre mount foot platform when 10" seat lift is selected.

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	Standard
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	£82
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	£99
Glacial SP: Skin Protection, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£126
Solution SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£126
Essence SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover. 158.7 Kg weight limit.	£148
Premiere P: Positioning, 4-way stretch, Coolcore cover. 158.7 Kg weight limit.	£148
Spectrum Foam SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight lin	nit. £209
Spectrum Gel SPP: Skin Protection, Positioning, 4-way Stretch, Coolcore Cover, Urethane Liner. 158.7 Kg weight limit.	£209

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

Static Seat.				
TRU-Balance 3 Powered Seat Tilt. 0° to 50° COG tilt. Uses 1 power option.				
10" Powered Seat Lift & Tilt. 10" lift & 50° tilt. Up to 3.5 Mph drive speed while elevated. Uses 2 power options.				
Static Seat to Floor Height. From seat pan.	15"	16″	17″	
Powered Tilt Seat to Floor Height. From seat pan.	17.75″	18.75″	19.75″	
Powered Lift & Tilt Seat to Floor Height. From seat pan.		18.75″	19.75"	

BACKREST SPECIFICATIONS

TRU-Balance 3 Back Support System. Select TB3 back options below. Ignore all 'Back Cane' options.	Standard
Back Canes Only System. Not available with Power recline or TB3 flip-back arm supports. Move directly to 'Back Cane Only Support Options' if selected.	FOC

 $Select one option above. Both options above include a metal active contour back support shell, TRU-Comfort\ 2 back cushion, and a set of wedge inserts.$

TB3 BACK SUPPORT

Active Contour Back Support with TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions	Standard
Privacy Flap. 12.75"W. Closes gap between back support and seat pan.	£50
Stealth Adapter Interface Plate. SSAPTB4. For mounting third party back supports to TB3 back system. Not required for Q-Back 2.	£358
ADI Q-Back 2. Skin protection, 4 way stretch, Coolcore cover. Mounts directly to TB3 system.	POA

TB3 BACK SUPPORT POSTIONING

TRU-Balance 3 Static Back. Angle can be preset manually.	Standard
TRU-Balance 3 Flip-forward Back. Not available with TB3 flip-back arm supports, powered recline.	£150
TRU-Balance 3 Powered Recline. 175° with sheer reduction. Uses 1 power option.	£700

BACK CANE ONLY SUPPORT

Active Conto	our Back Support with 1	TRU-Comfort 2 Back Cushion and Wedge Inserts. Select size in Back Support Dimensions.	Standard
Privacy Flap.	12.75"W. Closes gap betwe	een back support and seat pan.	£50
ADI Back Su	oport. Skin protection, 4 w	ray stretch, Coolcore cover. Mounts to canes with cane clamps.	POA
Enter ADI Back	Support part number	here for quotation	
Back -	Tool Angle Adjusta	able. 85° to 120° in 5° increments.	Standard
Cane Only	Flip-forward Back	Canes. Not suitable for occupied transport or with Endo mounts.	£200
Support Positioning	2" Endo Cane Mou	nts. 1" each side. Reduces back width by 2". Minimum seat width 12".	£40
	4″ Endo Cane Mou	nts. 2" each side. Reduces back width by 4". Minimum seat width 14".	£40
Back Cane	16″H.	17″H. 20)"H.
Height.	21″H.	24"H. 25	5″H.

BACK SUPPORT DIMENSIONS

Compatible with TB3 and Back Canes options above. Ignore Back Support Dimensions if omit back support is selected in TB3 or Back Canes sections. Back Support can be +/- 4" of seat width with TB3 Back Support System, but must be same as seat width with Back Canes Only System unless -2" or -4" Endo Mounts have been selected.

Backrest Support Width Package. ——		12"-14"W.	14"-16"W.	16"-20"W.
		18"-22"W.	20"-24"W.	
Back <u> </u>	12″W.	14″W.	16″W.	17″W.
	18″W.	19″W.	20″W.	21″W.
	22″W.	24″W.		
Back Support Height. From seat pan.	14"H. <i>12"W back only</i> .	15"H. <i>12"W back only</i> .	16″H.	17"H.
	18″H.	19″H.	20″H.	21″H.
	22″H.	23″H.	24″H.	25"H. Not available with 24"W back.
	26"H. Not available with 24"W back.	27"H. Not available with 24"W back.	28"H. Not available with 24″W back.	29"H. Not available with 24"W back.

19" minimum backrest height when powered recline is selected.

ARM SUPPORTS

TB Flex Removable, Quick Release. Adjustment range 9" to 14" from seat pan. Minimum seat depth 15".					Standard
Paediatric Single Post Dr	op-in Removable. <i>Adjustm</i>	ent range 7.75″- 9.75″ fro	m seat pan. 10″ pads only.		£100
Single Post Drop-in Rem	ovable. <i>Adjustment range 11</i>	"-17" from seat pan. Min	imum seat depth 14″.		£100
2-Post Flip-up Removabl	le. Adjustment range 9" to 13"	from seat pan. Minimum	seat depth 16".		£150
Height Adjustable, Remo	ovable, Heavy Duty.				£220
HD Removable Height Pack	tage. From seat pan.	8″-12″.	FOC	10″-14″.	Standard
TB3 Flip-back. Adjustment	range 8″-16″ from seat pan. Ir	ncludes lateral in/out adju	ustment.		£350
Down Posts for TB3 Flip-	back. Only with TB3 Flip-back	arm supports. Minimum	seat/back width 16″.		£100
	10" Standard	Standard	10" Waterfall. Not พ	rith Std flip-up or TB Flex	. FOC
	14" Standard	FOC	14" Waterfall. Not พ	rith Std flip-up or TB Flex	. FOC
Arm Support Pads.	17" Standard. TB3 on seat de	ly. Minimum pth 16". £50	Falcon Gel Mounting Plates. Required for		
	10" Falcon Gel	£40	2-post, Single Post & F	Paediatric arm supports	
	14" Falcon Gel	£40			

CENTRE MOUNTED LEG SUPPORTS

Manually Adjustable Ce	ntre Mount Foot Platform. <i>Minin</i>	num seat width 14″.			Standard	
Paediatric Adjustable Co	entre Mount Foot Platform. 12"-1	14" seat widths only.			FOC	
Power Elevating Articul	ating Centre Mount Foot Platfor	m. Minimum seat wid	lth 14". Uses 1 pow	ver option.	£950	
Lower Leg Extensions. From seat pan.	8"-12". Paediatric FOC centre mount only.	10"-16". Manually & powered elevating		13"-19". Manually Adj. & powered elevating only	Standard /	
Footplates	10"W x 6"D Split Footplates. <i>Paediatric centre mount only</i> .					
r ootplates.	10"W x 8"D Split Footplate	s. FOC	10"W x 11	"D Split Footplates.	Standard	
Calf Support	Individual Calf Pads. 6"W x 6	<i>5"H</i> . Standard (Calf Panel.	18″W x 8″H.	£42	
Call Support.	Reverse Dartex Calf Pad Co	overs. £42	Reverse D	artex Calf Panel Cover.	£62	
	4" Width Extension Kit. Not	available with 2″ leng	th kit or 10″W x 6	'D footplates.	£16	
Footplate Accessories.	2" Length Extension Kit. No	t available with 4″ wia	Ith kit or 10″W x 6	"D footplates.	£16	
	Footplate Connector.	£10	Outer Edg	e Supports.	£10	
	Wheel Bumpers.	£10				

Certain configurations may result in reduced ground clearance below footplates. Contact Quantum Technical for information.

INDIVIDUALLY MOUNTED CONFIGURABLE LEG SUPPORTS

	60° to 90° Tool Adjustable	Swing-away Leg Su	pports. Se	lect lowers and footp	olates below. Minim	um seat width 15″.	£110
	Lower Leg Extensions. From seat pan.	11″-13″	FOC	13″-16.5″	Standard	15.5″-19.5″	FOC
TO 90°	Angle & Depth Adj.	4"W x 6"D	FOC	5″W x 6″D	FOC	5″W x 8″D	FOC
. ₀ 09	Foot Support Size.	6"W x 8"D	STD	6"W x 11"	D FOC	8"W x 11"D	FOC
	Accessories.	Wheel Bumpers		•			£10
	Manual Elevating Articula	ting Swing-Away Le	g Suppor	ts. Includes calf pads	5.	••••••	£700
	Power Elevating Articulati	ng Swing-Away Leg	Supports	. Includes calf pads.			£850
	Lower Leg Extensions. From seat pan.	9"-15"		FOC	13"-21"		Standard
ATING	Footplate Type.	Angle Adjustab	le Flip-up.	Select size below.	••••••	••••••	Standard
ELEVATING ARTICUL	Foot Support Size. Includes heel loops.	4"W x 6"D. 14" se widths and above.		5"W x 7"D widths and	. 16" seat FOC above.	6"W x 8"D. 18" sea widths and above.	t FOC
LEVATIN	Accessories.	Wheel Bumpers		£10	Gel Padde	d Knee Adductors	£60
ш	Powered Leg Support Operation Method.	Independent. <i>Us</i>	es 2 power	options.	Combined	1 . Uses 1 power option.	
IMB SUPPORT	Stealth Residual Limb Su Includes a 60-90° Swing-awa hanger for mounting.		LEFT	£300	Limb Suppor	t £300	RIGHT

 $Certain\ configurations\ may\ result\ in\ reduced\ ground\ clearance\ below\ foot\ supports.\ Contact\ Quantum\ Technical\ for\ information.$

STEALTH HEAD SUPPORTS

UniLink 8" Comfort Plus. HMO475-17M / CP08CCFPM.	£230
UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	£230
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	£230
UniLink 14" Adjustable Comfort Plus. HMO475-17M/ACP150M.	£342
Upgrade Mounting Hardware from HMO475-17M to UHB3D33200.	£92

Please visit stealthproducts.com for alternative head supports.

STEALTH TRUNK SOLUTIONS

UniLink Thoracic Lateral Supports. Supplied as a pair. —	Lateral Thoracic Swing	-away Hardwar	e. £444	Additional 1.5" Link (e	each). £	£54
	3" H x 5" L Curved Lat	eral Pad.	£84	Additional 2" Link (ea	ch). £	£54
	4" H x 6" L Curved Lat	eral Pad.	£84	Additional 3" Link (ea	ch). £	£54
	Extra Small £143 /	Classic	STD* /	Dynamic STD* /	Vinyl Face F	OC
_	Small £143	Contoured	I FOC	Structured FOC	Zipper Face** Fo	OC
4-Point Harness.	Medium £143		((
	Large £143					
	Extra Large £143					
	Extra Small £91	Small	£91 /	Side Release	Standa	ard
Chest Strap.	Medium £91	Large	£91	Velcro Release	£	£20
	Extra Large £91					

*STD = Standard option **Classic Only

STEALTH PELVIC & THIGH SOLUTIONS

		£185		UniLink Hip Gu	ide Long Removable	. £185	
UniLink Thigh Supports.		£185		. £185			
	LEFT	£51 4x4 Pelvic Thigh Pad.				£51	RIGHT
		£51		4x8 Pel	vic Thigh Pad.	£51	
		£51		4x12 Pe	lvic Thigh Pad.	£51	
		£163		Fixed C	ane Mounted.	£163	
Knee Adductors.	LEFT	£179	ı	Swing-Awa	y Track Mounted.	£179	RIGHT
Knee Adductors.	LEFI	£38		3" Rou	nd Knee Pad.	£38	NIGHT
		£38		4" Rou	nd Knee Pad.	£38	
	Auto Bucl	de Lap Belt	t, Push I	Button Release.	••••••		Standard
Pelvic Belts.	Retractable Lap Belt, Push Button Release.						
	Extra Sma	ıll	£84 /	Single Pul	Standard) Side Release	e Standard
Positioning	Small		£84 \	Rear Pull	FOC	Push Button	FOC
2-Point Padded Pelvic Belt.	Medium		£84	Dual Pull	FOC	(
i eivic beit.	Large		£84				
	Extra Larg	je	£84				
Stealth Positioning	Extra Sma	all £143	Sm	nall £143	Push Button		Standard
4-Point Linear Padded Pelvic Belt,	Medium	£143	Laı	rge £143	Side Release		£21
Single Pull.					(
Medial Supports (Pommels).	Fixed Flip-down Hardware. <u>MTHW-660</u> .						£189
	Small Wed	dge. MTMD-	-12M.	£108 Medium Wedge. M		ge. MTMD-13M.	£103
·	Large We	dge. MTMD-	-14M.	£108	Adjustable W	edge. <i>MTMD-42M</i> .	£209
· · · · · · · · · · · · · · · · · · ·	•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•••••	•••••	• • • • • • • • • • • • • • • • • • • •	•••••

NON-EXPANDABLE CONTROLS

QLNES Controls. With no power options.		Standard
QLNES Controls. 2 power option ready.		£125
•	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	Attendant Control. Hand control mounted at rear.	£100
	Dual Controls. Hand control and secondary attendant control at rear.	£430

EXPANDABLE CONTROLS

gic 3e and 3 EX hand controls are supplied with built-in Bluetooth. Q-Logic 3 Enhanced Display is supplied with built-in Bluetooth and Infrared.	
Q-Logic 3e Controls. No power options.	£300
Q-Logic 3e Controls. 3 power option ready.	£350
Q-Logic 3e Controls. 5 power option ready.	£500
Q-Logic 3 EX Controls. No power options.	£350
Q-Logic 3 EX Controls. 3 power option ready.	£375
Q-Logic 3 EX Controls. 5 power option ready.	£550
Q-Logic 3 Enhanced Display. Includes 2 egg switches & flexible display mount. Not available with 3e controls.	£1074
IR Blaster. Infrared module for Q-Logic 3 EX hand control.	£50
SCIM Module Kit. Allows Q-Logic 3 EX joystick display to be used for speciality controls. Not available with 3e controls.	£316

	4 Button Switch Module. £300 psite armrest unless specified.	Toggle Lever iAccess	If iAccess is selected choose either Push Button or Toggle leaver option.
	Hand Control. Select position in Hand	Control Mounts below.	Standard
Control	Omit Hand Control. Often selected w	hen ED is used as master remote with spec	ial device£100
Method.	Attendant Control. Hand control mod	inted at rear.	£125

Push Button iAccess

Please visit stealthproducts.com for alternative control options such as mini

If iAccess is selected choose either

joysticks, head arrays & switches.

HAND CONTROL MOUNTS

iAccess OLED 4 Button Switch Module.

Fixed.					Star	ndard
Swing-away.						£75
Advanced Swing-aw	ay. Swings in & out with he	eight, tension and p	pivot adjustment.			£100
Mounting Position.	Left	FOC	Right	Standard		
	Standard Carrot	Standard	T-Bar	£35	Extended I-Handle	£35
Hand Control Joystick Handle.	Mushroom	£35	Medium Ball	£35	3" Goal Post	£50
	Chin Cup	£35	Soft Ball	£35	4" Goal Post	£50

SPEED PROGRAM & LIGHTS PACKAGE

2-Pole Motors & 4 Mph Program. Lights and indicators not included.	Standard
2-Pole Motors & 4 Mph Program with Lights and indicators.	£450
2-Pole Motors & 6 Mph Program with Lights and indicators.	£450
4-Pole Motor Package & 7 Mph Program with Lights and indicators.	£900
Lights & Indicator Surcharge. Required if no power options have been selected.	£260
LED Front Castor and Rear Fender Lights. Includes single switch button mounted to side rail. Not road legal.	Standard
Omit LED Front Castor and Rear Fender Lights.	FOC

ACCESSORIES

USB Mobile Device Charger. Please specify mounting position. i.e arm support, backrest, seat rail. Not available with VR2 or R-Net.	£11
Cup Holder. Only with TB3 flip-back arm supports.	£2
Personal Item Hooks (each). Not with back cane option.	£1
Mobile Phone Holder. <i>Only with TB3 arm supports</i> .	£4
Back Pack Holders. Not with back cane option.	£3
Clothes Guards. Only with TB3 arm supports.	£10
Glove Box.	£3
Hydration System.	£12
Oxygen Holder.	£5
Quick Release Transfer Bars.	£12
Stealth Tablet Holder.	£34
Push Handles. Not with back cane option.	£5
Accessory Bar.	£5
Back-up Camera.	£30
Quantum Back Pack.	£11
Additional XLR USB Charger Port.	£1
Magnetic to XLR Charger Adapter. <i>Only with Q-Logic 3e</i> .	£4
Swing-Away Tray Table. Supplied with relevant matching cut-out for joystick, or no cut out if attendant control only.	£37

NOTES & SPECIAL REQUESTS

PRICE

R-TRAK WITH TB3 SEATING



BASE PRICE

£6,650

COST OPTIONS

Crash

TOTAL



Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk

Web: www.quantumrehab.co.uk **RETAIL UK - 01/04/25 V1**





