





MOTABILITY ID 706914

EDGE 3 STRETTO - CONTOURED SEAT

DEALERS DETAILS		DELIVERY DETAILS		
Dealers Name		Dealers Address		
Order Date				
Address				
	Postcode	Postcode		
Phone	Email	Quantum Specialist		
PO No	Order Ref	O Clients Weight (required for suspension settings)		

BASE MODEL

14 Colour Options
Flip-up Armrests
70° Swing-Away Legrests

Contoured Seat with Fold-Forward Backrest 12.5" Flat Free Drive Tyres

2" x 5" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



2"x 6" Flat Free Rear Castors SRS Suspension System NE+ Control System 2 x 62 ah Batteries 4 Mph (6 Km/h) Motors Max User Weight: 21 st 6lbs. (136 kg)

DRIVE WHEELS

3" x 12.5" Flat Free Black Tyres.	Standard
3" x 12.5" Pneumatic Black Tyres.	FOC
3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	FOC
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Blue Jean	FOC
Deep Purple	FOC
Red Corvette	FOC

Pretty in Pink	FOC
Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
Raspberry Beret*	FOC

^{*} Extended lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.









CONTOURED SEAT PACKAGES

16"W x 16"D	FOC	18"W x 18"D	Standard	20"W x 20"D	FOC
-------------	-----	-------------	----------	-------------	-----

Seat package includes standard headrest and auto buckle lap belt.

SEAT CUSHIONS

Contoured Seat Cushion. 136 Kg weight limit.	Standard
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	FOC

Seat cushion dimensions will match seat package selected above.

SEAT POSITIONING

Manual Settable Tilt. 0° to 30° tool adjustable with a telescopic tube.			Standard
Manual Seat to Floor Height. From seat pan.	16.5″	17.5″	18.5″

ARM SUPPORTS

Std Flip-up Height Adjustable. Includes contour arm pads. Do not select arm pads below.			tandard	
TB Flex Removable, Quick Release. Adjustment range 9" to 14" from seat pan. Minimum seat depth 15".				FOC
Single Post Height Adjustable. Adjustment range 11"-17" from seat pan. Minimum seat depth 14".				
Arm Support Pads	10" Standard	Standard	10" Waterfall. Not with Std flip-up or TB Flex.	FOC
Aiiii Support Faus	14" Standard	FOC	14" Waterfall. Not with Std flip-up or TB Flex.	FOC

LEG SUPPORTS

70° Swing-away Legrests. Adjustment ro	nge 12″ to 15″.	Standard
Manual Elevating Swing-Away Legrests. Inc. calf pads. Adjustment range 15" to 20". Min. seat width 15".		FOC
Manually Adjustable Centre Mount Foot Platform. <i>Adjustment range 10" to 16". 5"W x11"L Footplates.</i>		FOC
Seat pan to heel measurement	(Leave blank for standard factory)	

NON-EXPANDABLE CONTROLS

NE + Controls. With no power options.	Standard
VR2 Controls. With no power options.	FOC

HAND CONTROL MOUNTS

 Fixed.		Standard		
 Swing-away. Swings in & out with I	neight, tension and pivot adjustm	nent.		FOC
 Mounting Position.	Left	FOC	Right	Standard

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. *Lights and indicators not included.*

Standard

NOTES & SPECIAL REQUESTS



Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070

Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk Motability ID 706914 - 17/03/23 V1













