





MOTABILITY ID 707226

EDGE 3 STRETTO WITH TB FLEX SEAT

DEALERS DETAILS		DELIVERY DETAILS	
Dealers Name		Dealers Address	
Order Date			
Address			
	Postcode	Postcode	
Phone	Email	Quantum Specialist	
PO No	Order Ref	© Clients Weight (required for suspension settings)	

BASE MODEL

17 Colour Options
Height Adjustable Removable Armrests
70° Swing-Away Legrests
Angle Adjustable Fold-Forward Backrest
12.5" Flat Free Drive Tyres
2" x 5" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



2"x 6" Flat Free Rear Castors SRS Suspension System NE+ Control System 2 x 40 ah Batteries 4 Mph (6 Km/h) Motors Max User Weight: 21 st 6lbs. (136 kg)

DRIVE WHEELS

3" x 12.5" Flat Free Black Tyres.	Standard
3" x 12.5" Pneumatic Black Tyres.	FOC
3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	FOC
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC

COLOURS

Back in Black	Standard
Night Train	FOC
Midnight Blue	FOC
Electric Blue	FOC
Blue Jean	FOC
Deep Purple	FOC
Sugar Plum	FOC
Red Corvette	FOC
Pretty in Pink	FOC

Military Green	FOC
Lemon Crush	FOC
Cherry Bomb	FOC
Evolution Orange	FOC
White Satin	FOC
Grey Street	FOC
Green Machine	FOC
Raspberry Beret	FOC

Please download our free PQ-365 app to view colours and other product features in more detail.









STANDARD SEAT DIMENSIONS

FOC	16" Depth	FOC	15" Depth	FOC	16" Width	FOC	15"Width
Standard	18" Depth	FOC	17" Depth	Standard	18"Width	FOC	17"Width
FOC	20" Depth	FOC	19" Depth	FOC	20"Width	FOC	19"Width

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	Standard
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. 158.7 Kg weight limit.	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability.

SEAT POSITIONING

Manual Settable Tilt. 0° to 30° tool adjustable with a telescopic tube.			Standard
Manual Seat to Floor Height. From seat pan.	16.5"	17.5″	18.5″

STANDARD BACK SUPPORT POSITIONING

Manual Angle Settable, Fold-Forward. Adj. range 95° to 125°.	Standard
Mariuai Ariule Settable, i Olu-i Orwaru, Adi, idilde 95 (0 125 .	Statiualu

STANDARD BACK SUPPORTS

TRU-Comfort 2. 4-way stretch cover. Adjustable range 24.5" to 28" from seat board.

Standard

ARM SUPPORTS

Std Flip-up Height Adjustable. Includes contour arm pads. Do not select arm pads below. St				Standard
TB Flex Removable, Quick Release. Adjustment range 9" to 14" from seat pan.				
2-Post Flip-up Removable. <i>Adjustment range 9" to 13" from seat pan.</i>				FOC
Single Post Height Adjustable. Adjustment range 11"-17" from seat pan.				FOC
Paediatric Single Post Height Adjustable. Adjustment range 7.75" - 9.75" from seat pan. 10" pads only.				
Arm Support Pads 10" Standard Standard 10" Waterfall. Not with Std flip-up or TB Flex.				
7mm support raus	14" Standard	FOC	14" Waterfall. Not with Std flip-up or TB Flex.	FOC

LEG SUPPORTS

70° Swing-away Legrests. Adjustment range 12" to 15".	Standard
90° Paediatric Swing-away Legrests. Adjustment range 7" to 11".	
60° to 90° Tool Adjustable Swing-away Legrests. Adjustment range 11" to 16.5".	
Manual Elevating Swing-Away Legrests. Inc. calf pads. Adjustment range 15" to 20".	
Manually Adjustable Centre Mount Foot Platform. Inc. calf pads. Adj. range 10" to 16". 5"W x 11"L Footplates.	
Seat pan to heel measurement (Leave blank for standard factory)	

UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	Standard
UniLink 14" Comfort Plus. HMO475-17M/CP14CCFPM.	FOC

PELVIC SOLUTIONS

Auto Buckle Lap Belt, Push Button Release.	Standard
Auto buckle Lab Dell, i usii buttoii Nelease.	Standard

NON-EXPANDABLE CONTROLS

NE + Controls. 2 power option ready.			Standard
Cor	atral Mathad	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	ilitor Metriod. —	Attendant Control. Hand control mounted at rear.	FOC

HAND CONTROL MOUNTS

Fixed.	Fixed.						
Swing-away. Swings in &	Swing-away. Swings in & out with height, tension and pivot adjustment.						
Mounting Position.	Left	FOC	Right	Standard			

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included.	Standard
--	----------

NOTES & SPECIAL REQUESTS



Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.















