



MOTABILITY ID 1002467

Q6 EDGE 2.0 WITH TB FLEX SEATING / POWER TILT / POWER RECLINE

DEALERS DETAILS Dealers Name		DELIVERY DETAILS
		Dealers Address
Order Date		
Address		
	Postcode	Postcode
Phone	Email	Quantum Specialist
PO No	Order Ref	Clients Weight
12 Colour Option		2" x 6" Flat Free Rear Castors
BASE MO	1	
	e Removable Armrests	ATX Suspension System
70° Swing-Away I	Legrests	QLNES Control System
Angle Adjustable	Fold-Forward Backrest	2 x 62 ah Batteries
14" Flat Free Drive	· · · · · · · · · · · · · · · · · · ·	4 Mph (6 Km/h) Motors
2" x 6" Flat Free Fr	ront Castors	Max User Weight: 21 st 6lbs. (136 kg)
Standard = Standard Fac FOC = Select Instead of S	tory Feature Standard Factory Feature	
DRIVE WHEELS		

3" x 14" Flat Free Black Tyres.	Standard
3" x 14" Pneumatic Black Tyres.	FOC

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Pretty in Pink	FOC
Deep Purple	FOC

Red Corvette	FOC
Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC
* Exten	ded lead-time

Please download our free PQ-365 app to view colours and other product features in more detail.





App Store

Google Play

SEAT WIDTH

 15″ Width	FOC	16″Width	FOC
17"Width	FOC	18″Width	Standard
19″ Width	FOC	20″Width	FOC

SEAT DEPTH

15″ Depth	FOC	16" Depth	FOC
17" Depth	FOC	18" Depth	Standard
19″ Depth	FOC	20" Depth	FOC
19″ Depth	FOC	20" Depth	

STEALTH	SEAT	CUSHIONS	

No Seat Cushion Required			FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Co	over. 160 Kg weigl	ht limit.	Standard
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4	-way Stretch Co	olcore Cover. 158.7 Kg weight limi	t. FOC
	,	not be available in all width and depth ze availability. The nearest size will be p	
Powered Seat Tilt. 0° to 30°. Uses 1 power option.			Standard
Powered Tilt Seat to Floor Height. From seat pan.	16″	17″	18″

STANDARD BACK SUPPORT POSITIONING

Powered Back Recline. Adjustment range 95° to 125°. Uses 1 power option.	Standard
--	----------

STANDARD BACK SUPPORTS

TRU-Comfort 2. Plastic shell, 4-way stretch cover. Adjustable range 24.5" to 28" from seat board.

ARM SUPPORTS

TB Flex Height Adjustable, Removable, Drop-in T Arm. Adjustment range 9" to 14" from seat pan.			Standard	
2-Post Flip-up Remova	ble. Adjustment range 9" to 13	″ from seat pan. Minimu	m seat depth 16".	FOC
Arm Support Pads	10" Standard	Standard	10" Waterfall.	FOC
	14" Standard	FOC	14" Waterfall.	FOC

LEG SUPPORTS

70° Swing-away Legrests. Adjustment range 12" to 15".	Standard
Base Mounted Foot Platform. Mounted to chassis. Will not move with power tilt.	FOC
Manual Elevating Swing-Away Legrests. Adjustment range 15" to 20".	FOC
Manually Adjustable Centre Mount Foot Platform. Adjustment range range 10" to 16". 5"W x11"L Footplates.	FOC

Adjustment ranges above are from seat pan to footplates. Individual legrests supplied with heel loops. Elevating legrests supplied with calf supports.

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	Standard
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	FOC

PELVIC SOLUTIONS

Auto Buckle Lap Belt, Push Button Release.

Standard

Standard

NON-EXPANDABLE CONTROLS

 QLNES Controls. 2 power option ready.
 Standard

 Control Method.
 Hand Control. Select position in Hand Control Mounts below.
 Standard

 Attendant Control. Hand control mounted at rear.
 FOC

HAND CONTROL MOUNTS

Fixed.			Standard
	Basic swing away.		FOC
	Mounting Position.	Left	Right

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included.

NOTES & SPECIAL REQUESTS



32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk **Motability ID 1002467 - 09/01/25**

Quantum[®]



Standard