





MOTABILITY ID 721044

ASPEN WITH TB FLEX SEAT / POWER TILT

DEALERS DETAILS Dealers Name		DELIVERY DETAILS Dealers Address	
Address			
	Postcode	Postcode	
Phone	Email	Quantum Specialist	
PO No	Order Ref	Clients Weight	
	•		
BASE MO	ODEL		

BASE MODEL

4 Colour Options Height Adj. Removable Arm Supports 70° Swing-Away Leg Supports Angle Adj. Fold-Forward Back Support 14" Flat Free Drive Tyres 3" x 9" Flat Free Front Castors ATX Suspension System Powered Tilt QLNES Control System 2 x 62 ah Batteries 4Mph (6 Km/h) Motors Max User Weight: 21 st 6lbs. (136 kg)

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres.	Standard
3" x 14" Pneumatic Black Tyres.	FOC

FRONT CASTORS

3" x 9" Flat Free Black Tyres.

COLOURS

Back in Black	Standard
Electric Blue	FOC
Silver Bullet	FOC
Red Corvette	FOC

Please download our free PQ-365 app to view colours and other product features in more detail.





Standard

App Store

Geogle Play

SEAT WIDTH

FOC	16" Width	FOC	15″ Width
Standard	18″Width	FOC	17″ Width
FOC	20″Width	FOC	19″ Width

SEAT DEPTH

15″ Depth	FOC	16" Depth	FOC
17" Depth	FOC	18" Depth	Standard
19″ Depth	FOC	20" Depth	FOC

The nearest size will be provided unless otherwise specified.

Standard

Standard

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	Standard
Simplicity G: General Use, Fluid Resistant Stealth-Tek Cover. <u>158.7 Kg weight limit</u> .	FOC
TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.	FOC

SEAT POSITIONING

Powered Seat Tilt. 0° to 30°. Uses 1 power option.			Standard
Seat to Floor Height. From seat pan.	17.5″	18" Changes tilt range to -5° to 25°	18.5" Changes tilt range to -5° to 25°

STANDARD BACK SUPPORT POSITIONING

Manual Angle Settable, F	old-Forward. Adj.	range 95° to 125°.
--------------------------	-------------------	--------------------

STANDARD BACK SUPPORTS

TRU-Comfort 2. 4-way stretch cover. Adjustable range 24.5" to 28" from seat board.

ARM SUPPORTS

TB Flex Removable, Qu	ick Release. <i>Adjustment rang</i>	e 9″ to 14″ from seat par	s. S	tandard
2-Post Flip-up Remova	ble. Adjustment range 9" to 13	″ from seat pan. Minimu	m seat depth 16".	FOC
Arm Support Pads	10" Standard	Standard	10" Waterfall. Not with Std flip-up or TB Flex.	FOC
	14" Standard	FOC	14" Waterfall. Not with Std flip-up or TB Flex.	FOC

LEG SUPPORTS

70° Swing-away Legrests. Adjustment rang	Standard	
60° to 90° Tool Adjustable Swing-away I	FOC	
Manual Elevating Swing-away Legrests.	FOC	
Seat pan to heel measurement	(Leave blank for standard factory)	Adjustment ranges above are from seat pan to footplates. Individual legrests supplied with heel loops. Elevating legrests supplied with calf supports.

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	Standard
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	FOC

Please visit stealthproducts.com for alternative head supports.

PELVIC SOLUTIONS

Auto Buckle Lap Belt, Push Button Release.	Standard
--	----------

NON-EXPANDABLE CONTROLS

QLNES Controls. 2 power option ready.		Standard
Control Method.	Hand Control. Select position in Hand Control Mounts below.	Standard
	Attendant Control. Hand control mounted at rear.	FOC

HAND CONTROL MOUNTS

Fixed.					Standard
Basic Swing-away.					FOC
Mounting Position.	Left	FOC	Right	Standard	

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included.	Standard
4 Mph Program with Lights and indicators.	FOC
5 Mph Program with Lights and indicators.	FOC

ACCESSORIES

Kerb Climber.

NOTES & SPECIAL REQUESTS



Quantum[®] 32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk MOTABILITY ID 721044 - 01/04/24 V1



FOC