





**MOTABILITY ID 1000398** 

# **EDGE 3 STRETTO - CONTOURED SEAT / iLEVEL**

DEALERS DETAILS		DELIVERY DETAILS		
Dealers Name		Dealers Address		
Order Date				
Address				
	Postcode	Postcode		
Phone Email		Quantum Specialist		
O No Order Ref		<ul> <li>Clients Weight (required for suspension settings)</li> </ul>		
BASE MOE				
BASE MOD				
BASE MOI	DEL	2" x 6" Flat Free Rear Castors		
BASE MOE 14 Colour Options Flip-up Arm Suppor	DEL	2" x 6" Flat Free Rear Castors SRS Suspension System		
BASE MOD 14 Colour Options Flip-up Arm Suppor 70° Swing-Away Su	DEL rts pports	2" x 6" Flat Free Rear Castors SRS Suspension System QLNES Control System		
<b>BASE MOD</b> 14 Colour Options Flip-up Arm Suppor 70° Swing-Away Su Contoured Seat / Fo	DEL rts pports old-Forward Back Support	2" x 6" Flat Free Rear Castors SRS Suspension System QLNES Control System 2 x 62 ah Batteries		
BASE MOD 14 Colour Options Flip-up Arm Suppor 70° Swing-Away Su	DEL rts pports old-Forward Back Support 2 Tyres	2" x 6" Flat Free Rear Castors SRS Suspension System QLNES Control System		

## **DRIVE WHEELS**

3" x 12.5" Flat Free Black Tyres.	Standard
3″ x 12.5″ Pneumatic Black Tyres.	FOC
3" x 14" Flat Free Black Tyres. With matching colour wheel accents.	FOC
3" x 14" Pneumatic Black Tyres. With matching colour wheel accents.	FOC

## COLOURS

Back in Black	Standard	Pretty in Pink	
Green Machine	FOC	Lemon Crush* FC	
Midnight Blue	FOC	Night Train* F	
Electric Blue	FOC	Evolution Orange* F	
Blue Jean	FOC	Military Green* FC	
Deep Purple	FOC	Grey Street*	
Red Corvette	FOC	Raspberry Beret*	FOC
		* Extend	ded lead-time.

Please download our free PQ-365 app to view colours and other product features in more detail.





**É** App Store

Get IT ON Google Play

1

16″W x 16″D	FOC	18″W x 18″D	Standa	rd	20″W x 20″D	FOO
			Seat packag	e includes sta	ndard head support and auto bu	ckle lap bel
AT CUSHIONS						
Contoured Seat Cushion	. 136 Kg weight limit					Standar
Simplicity G: General Use	e, Fluid Resistant S	tealth-Tek Cover. 15	8.7 Kg weight limit			FO
Zen SP: Skin Protection,	4-way Stretch, Coo	olcore Cover. 160 Kg	weight limit.			FO
TRU-Comfort 2 SPP: Skin	Protection, Positi	oning, 4-way Stretc	h Coolcore Cove	e <b>r.</b> 158.7 Kg v	veight limit.	FO
			Seat Ct	ismon uimens	ions will match seat package sele	
EAT POSITIONING						
il aval Dawarad Cast Lift	12" lift. Uses 1 power	r option.				Standar
iLevel Powered Seat Lift.						
iLevel Powered Lift Seat			18" elect arm pads bel	ow.	19″	20″ Standar
iLevel Powered Lift Seat	table. Includes cont	our arm pads. Do not s	elect arm pads bel	оw.	19"	Standar
iLevel Powered Lift Seat RM SUPPORTS Std Flip-up Height Adjus	table. <i>Includes cont</i> k Release. <i>Adjustm</i>	our arm pads. Do not s ent range 9″ to 14″ fror	elect arm pads bel n seat pan.	эw.	19"	Standar FO
iLevel Powered Lift Seat RM SUPPORTS Std Flip-up Height Adjus TB Flex Removable, Quic Single Post Height Adjus	table. <i>Includes cont</i> k Release. <i>Adjustm</i>	our arm pads. Do not s ent range 9″ to 14″ fror ange 11″-17″ from seat	elect arm pads bel n seat pan. pan.		19" Not with Std flip-up or TB Flex	Standar FO FO
iLevel Powered Lift Seat <b>RM SUPPORTS</b> Std Flip-up Height Adjus TB Flex Removable, Quic Single Post Height Adjus	table. <i>Includes cont</i> k Release. <i>Adjustm</i> table. <i>Adjustment r</i>	our arm pads. Do not s ent range 9" to 14" fror ange 11"-17" from seat d Stand	elect arm pads bel n seat pan. pan. lard 10	″Waterfall.		Standar FO FO
iLevel Powered Lift Seat <b>RM SUPPORTS</b> Std Flip-up Height Adjus TB Flex Removable, Quic Single Post Height Adjus Arm Support Pads	table. <i>Includes cont</i> k Release. <i>Adjustm</i> table. <i>Adjustment n</i> 10″ Standar 14″ Standar	our arm pads. Do not s ent range 9" to 14" fror ange 11"-17" from seat d Stand	elect arm pads bel n seat pan. pan. lard 10	″Waterfall.	Not with Std flip-up or TB Flex	Standar FO FO FO
iLevel Powered Lift Seat <b>RM SUPPORTS</b> Std Flip-up Height Adjus TB Flex Removable, Quic Single Post Height Adjus Arm Support Pads <b>EG SUPPORTS</b>	table. Includes cont k Release. Adjustm table. Adjustment n 10" Standar 14" Standar	our arm pads. Do not s ent range 9″ to 14″ fror ange 11″-17″ from seat d Stand d F	elect arm pads bel n seat pan. pan. lard 10 FOC 14	″Waterfall. ″Waterfall.	Not with Std flip-up or TB Flex	Standar FO FO
iLevel Powered Lift Seat RM SUPPORTS Std Flip-up Height Adjus TB Flex Removable, Quic Single Post Height Adjus Arm Support Pads EG SUPPORTS 70° Swing-away. Adjustme	table. <i>Includes cont</i> k Release. <i>Adjustm</i> table. <i>Adjustment n</i> 10" Standar 14" Standar 14" Standar	our arm pads. Do not s ent range 9" to 14" fror ange 11"-17" from seat d Stand d F d F	elect arm pads bel n seat pan. pan. lard 10 FOC 14	"Waterfall. "Waterfall. idth 15".	Not with Std flip-up or TB Flex Not with Std flip-up or TB Flex	Standar FO FO FO Standar
iLevel Powered Lift Seat RM SUPPORTS Std Flip-up Height Adjus TB Flex Removable, Quic Single Post Height Adjus Arm Support Pads EG SUPPORTS 70° Swing-away. Adjustme Manual Elevating Swing- Manually Adjustable Cer	table. <i>Includes cont</i> k Release. <i>Adjustm</i> table. <i>Adjustment n</i> 10" Standar 14" Standar 14" Standar	our arm pads. Do not s ent range 9" to 14" fror ange 11"-17" from seat d Stand d F . Adjustment range 15" latform. Adjustment r	elect arm pads bel n seat pan. pan. ard 10 FOC 14	"Waterfall. "Waterfall. idth 15". V x11"L Foot	Not with Std flip-up or TB Flex Not with Std flip-up or TB Flex	Standar FO FO FO Standar FO FO
iLevel Powered Lift Seat <b>RM SUPPORTS</b> Std Flip-up Height Adjus TB Flex Removable, Quic Single Post Height Adjus Arm Support Pads <b>EG SUPPORTS</b> 70° Swing-away. <i>Adjustme</i> Manual Elevating Swing-	table. <i>Includes cont</i> k Release. <i>Adjustm</i> table. <i>Adjustment n</i> 10" Standar 14" Standar 14" Standar	our arm pads. Do not s ent range 9" to 14" fror ange 11"-17" from seat d Stand d F . Adjustment range 15" latform. Adjustment r	elect arm pads bel n seat pan. pan. ard 10 FOC 14	"Waterfall. "Waterfall. idth 15". V x11"L Foot	Not with Std flip-up or TB Flex Not with Std flip-up or TB Flex plates.	Standar FC FC FC Standar FC FC

## HAND CONTROL MOUNTS

Fixed.				Standard
Basic swing-away.				FOC
Mounting Position.	Left	FOC	Right	Standard

## **SPEED PROGRAM & LIGHTS PACKAGE**

4 Mph Program. Lights and indicators not included.

Standard

## **NOTES & SPECIAL REQUESTS**



#### Quantum<sup>®</sup>

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk Motability ID 1000398 - 01/04/25 V1



