





MOTABILITY ID 1002464

Q6 EDGE 2.0 WITH TB FLEX SEATING / POWER TILT

DEALERS DETAILS		I
Dealers Name		[
Order Date		
Address		
	Postcode	
Phone	Email	(
PO No	Order Ref	

DELIVERY DETAILS

Dealers Address

Postcode

2" x 6" Flat Free Rear Castors

Max User Weight: 21 st 6lbs. (136 kg)

ATX Suspension System

QLNES Control System

2 x 62 ah Batteries 4 Mph (6 Km/h) Motors

Quantum Specialist

Clients Weight

BASE MODEL

12 Colour Options Height Adj. Removable Arm Supports 70° Swing-Away Leg Supports Angle Adj. Fold-Forward Back Support 14" Flat Free Drive Tyres 2" x 6" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature

DRIVE WHEELS

3" x 14" Flat Free Black Tyres.	Standard
3" x 14" Pneumatic Black Tyres.	FOC

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Pretty in Pink	FOC
Deep Purple	FOC

Red Corvette	FOC
Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange	* FOC
Military Green*	FOC
Grey Street*	FOC
	* Extended lead-time

Please download our free PQ-365 app to view colours and other product features in more detail.





App Store

SEAT WIDTH

15"Width	FOC	16" Width	FOC
17"Width	FOC	18" Width	Standard
19″Width	FOC	20"Width	FOC

SEAT DEPTH

15″ Depth	FOC	16" Depth	FOC
17″ Depth	FOC	18″ Depth	Standard
19″ Depth	FOC	20" Depth	FOC
19″ Depth	FOC	20" Depth	FO

STEALT	H SEAT	CUSHIONS

No Seat Cushion Required			FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. <i>160 Kg weight limit.</i> TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. <i>158.7 Kg weight limit.</i>			Standard
			t. FOC
Please no (ote that seat cushions may not	e available in all width and depth ailability. The nearest size will be pr	
Please no CEAT POSITIONING	ote that seat cushions may not		rovided unless otherwise specified
Please no (ote that seat cushions may not		

STANDARD BACK SUPPORT POSITIONING

Manual Angle Settable, Fold-Forward. <i>Adjustment range 95° to 125°</i> .	Standard
--	----------

STANDARD BACK SUPPORTS

TRU-Comfort 2. Plastic shell, 4-way stretch cover. Adjustable range 24.5" to 28" from seat board.

ARM SUPPORTS

TB Flex Height Adjustable, Removable, Drop-in T Arm. Adjustment range 9" to 14" from seat pan.			Standard	
2-Post Flip-up Removab	le. Adjustment range 9" to 13	″ from seat pan. Minimu	m seat depth 16″.	FOC
Arm Support Pads	10" Standard	Standard	10"Waterfall.	FOC
	14" Standard	FOC	14" Waterfall.	FOC

LEG SUPPORTS

70° Swing-away. Adjustment range 12" to 15".		Standard
Manual Elevating Swing-Away. Adjustment ran	ge 15" to 20".	FOC
Manually Adjustable Centre Mount Foot Plat	form. Adjustment range range 10" to 19"W x11"L Footplates.	FOC
Enter seat pan to heel measurement.	If no measurement is supplied the standard factory length	n option will be fitted.
	ant ranges above are from soat nan to feat supports Individual los supports s	

Adjustment ranges above are from seat pan to foot supports. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	Standard
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	FOC

PELVIC SOLUTIONS

Auto Buckle Lap Belt, Push Button Release.

Standard

Standard

NON-EXPANDABLE CONTROLS

 QLNES Controls. 2 power option ready.
 Standard

 Control Method.
 Hand Control. Select position in Hand Control Mounts below.
 Standard

 Attendant Control. Hand control mounted at rear.
 FOC

HAND CONTROL MOUNTS

Fixed.			Standard
	Basic swing away.		FOC
	Mounting Position.	Left	Right

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included.

NOTES & SPECIAL REQUESTS



32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070 Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk **Motability ID 1002464 - 01/04/25**

Quantum®





Standard