





MOTABILITY ID 1002467

Q6 EDGE 2.0 WITH TB FLEX SEATING / POWER TILT / POWER RECLINE

DEALERS DETAIL	S	DELIVERY DETAILS	
Dealers Name		Dealers Address	
Order Date			
Address			
	Postcode	Postcode	
Phone	Email	Quantum Specialist	
PO No	Order Ref	Clients Weight	

BASE MODEL

12 Colour Options
Height Adj. Removable Arm Supports
70° Swing-Away Leg Supports
Angle Adj. Fold-Forward Back Support
14" Flat Free Drive Tyres
2" x 6" Flat Free Front Castors

Standard = Standard Factory Feature FOC = Select Instead of Standard Factory Feature



2"x 6" Flat Free Rear Castors ATX Suspension System QLNES Control System 2 x 62 ah Batteries 4 Mph (6 Km/h) Motors Max User Weight: 21 st 6lbs. (136 kg)

DRIVE WHEELS

3" x 14" Flat Free Black Tyres.	Standard
3" x 14" Pneumatic Black Tyres.	FOC

COLOURS

Back in Black	Standard
Green Machine	FOC
Midnight Blue	FOC
Electric Blue	FOC
Pretty in Pink	FOC
Deep Purple	FOC

Red Corvette	FOC
Lemon Crush*	FOC
Night Train*	FOC
Evolution Orange*	FOC
Military Green*	FOC
Grey Street*	FOC

^{*} Extended lead-time

Please download our free PQ-365 app to view colours and other product features in more detail.









SEAT WIDTH

FOC	16"Width	FOC	15"Width
Standard	18"Width	FOC	17"Width
FOC	20"Width	FOC	19"Width

SEAT DEPTH

_	15" Depth	FOC	16" Depth	FOC
	17" Depth	FOC	18" Depth	Standard
	19" Depth	FOC	20" Depth	FOC

STEALTH SEAT CUSHIONS

No Seat Cushion Required	FOC
Zen SP: Skin Protection, 4-way Stretch, Coolcore Cover. 160 Kg weight limit.	Standard

TRU-Comfort 2 SPP: Skin Protection, Positioning, 4-way Stretch Coolcore Cover. 158.7 Kg weight limit.

FOC

Please note that seat cushions may not be available in all width and depth combinations. Refer to our Stealth Cushion Order Forms for size availability. The nearest size will be provided unless otherwise specified

SEAT POSITIONING

Powered Seat Tilt. 0° to 30°. Uses 1 power option.			Standard
Powered Tilt Seat to Floor Height. From seat pan.	16"	17″	18"

STANDARD BACK SUPPORT POSITIONING

Powered Back Recline. Adjustment range 95° to 125°. Uses 1 power option.

Standard

STANDARD BACK SUPPORTS

TRU-Comfort 2. Plastic shell, 4-way stretch cover. Adjustable range 24.5" to 28" from seat board.

Standard

ARM SUPPORTS

TB Flex Height Adjusta	ble, Removable, Drop-in T	Arm. <i>Adjustment range</i>	9" to 14" from seat pan.	Standard
2-Post Flip-up Remova	ble. Adjustment range 9" to 13	" from seat pan. Minimu	m seat depth 16".	FOC
Arm Support Pads	10" Standard	Standard	10" Waterfall.	FOC
Ann Support raus	14" Standard	FOC	14" Waterfall.	FOC

LEG SUPPORTS

70° Swing-away. Adjustment range 12" to 15".		Standard
Manual Elevating Swing-Away. Adjustment range	15" to 20".	FOC
Manually Adjustable Centre Mount Foot Platfo	rm. Adjustment range range 10″ to 19″W x11″L Footplates.	FOC
Enter seat pan to heel measurement.	If no measurement is supplied the standard factory length	option will be fitted.

Adjustment ranges above are from seat pan to foot supports. Individual leg supports supplied with heel loops. Elevating leg supports supplied with calf supports.

STEALTH HEAD SUPPORTS

UniLink 10" Comfort Plus. HMO475-17M / CP10CCFPM.	Standard
UniLink 14" Comfort Plus. HMO475-17M / CP14CCFPM.	FOC

PELVIC SOLUTIONS

Auto Buckle Lap Belt, Push Button Release.

Standard

NON-EXPANDABLE CONTROLS

QLNES Controls. 2 power option ready.		Standard
Control Method.	Hand Control. Select position in Hand Control Mounts below.	Standard
Control Method.	Attendant Control. Hand control mounted at rear.	FOC

HAND CONTROL MOUNTS

Fixed.			Standard
Basic swing away.			FOC
Mounting Position.	Left	Right	

SPEED PROGRAM & LIGHTS PACKAGE

4 Mph Program. Lights and indicators not included. Standard

NOTES & SPECIAL REQUESTS



Quantum®

32 Wedgwood Road, Bicester, Oxon, OX26 4UL Phone: 01869 324600 Fax: 01869 323070

Email: sales@quantumrehab.co.uk Web: www.quantumrehab.co.uk Motability ID 1002467 - 01/04/25







